

Updated: 06/2024 Approved: 06/2024

Request for Prior Authorization for Erythropoiesis Stimulating Agents Website Form www.wv.highmarkhealthoptions.com

Submit request via: Fax - 1-833-547-2030

All requests for Erythropoiesis Stimulating Agents require a Prior Authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

Erythropoiesis Stimulating Agents Prior Authorization Criteria:

ESAs include Aranesp (darbepoetin alfa), Epogen (epoetin alfa), Procrit (epoetin alfa), Retacrit (epoetin alfa-epbx), Mircera (methoxy polyethylene glycol-epoetin beta). New products with this classification will require the same documentation.

For <u>oncology</u> requests for ESAs, the following criteria must be met:

• **Duration of Approval:** 6 months

For <u>non-oncology</u> requests for ESAs the following criteria must be met in addition to the diagnosis specific requirements below:

- Medication is prescribed by, or in consultation with, a hematologist, oncologist, nephrologist, or infectious disease specialist.
- Member has been evaluated for other causes of anemia (e.g., vitamin deficiency, bleeding, metabolic or chronic inflammatory conditions, etc.).
- Must have adequately controlled blood pressure
- Member's iron status has been evaluated prior to and during erythropoietin therapy. Transferrin saturation (TSAT) should be >20% and serum ferritin >100 ng/mL or the member should be on concurrent iron therapy.
- If hemoglobin exceeds a threshold listed below, prescriber must indicate erythropoietin will be held or titrated downward.
- Lab results (e.g., hemoglobin) must be from within 30 days of the request.
- Must be used for an FDA-approved or medically accepted indication
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines

Coverage may be provided for anemia of chronic renal disease when the following criteria is met:

- Hemoglobin < 10 g/dL
- **Initial Duration of Approval:** 3 months
- Reauthorization Criteria:
 - For adults, hemoglobin \leq 10 g/dL for members not on dialysis OR hemoglobin \leq 11 g/dL for members on dialysis
 - \circ For pediatrics, hemoglobin $\leq 12 \text{ g/dL}$
 - \circ Must be on concurrent iron therapy unless both the transferrin saturation (TSAT) $\ge 20\%$ and serum ferritin ≥ 100 ng/mL
- **Reauthorization Duration of Approval:** 6 months



Updated: 06/2024 Approved: 06/2024

Coverage may be provided for **anemia due to treatment with zidovudine in HIV** when the following criteria is met:

- Hemoglobin < 10 g/dL
- Member has a serum erythropoietin level ≤ 500 mUnits/mL
- Member is receiving a dose of zidovudine ≤ 4200 mg/week
- **Initial Duration of Approval:** 3 months
- Reauthorization Criteria:
 - Hemoglobin \leq 12 g/dL
 - Must be on concurrent iron therapy unless both the transferrin saturation (TSAT) ≥20% and serum ferritin ≥100 ng/mL
- Reauthorization Duration of Approval: 6 months

Coverage may be provided to reduce the need for allogeneic blood transfusions in surgery patients when the following criteria is met:

- Member is scheduled to undergo elective, noncardiac, nonvascular surgery
- Hemoglobin must be > 10 g/dL and $\leq 13 \text{ g/dL}$
- **Initial Duration of Approval:** 1 month
- Reauthorization Criteria:
 - o Provided on a case by case basis, refer to initial criteria for reauthorization
- Reauthorization Duration of Approval: 1 month

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

Drugs are authorized in generic form unless the branded product is on the preferred drug list or the prescriber has indicated in writing that the branded product is medically necessary. If only the branded product is on the preferred drug list, the generic form will be considered non-preferred and shall not require the prescriber to indicate in writing that the branded product is medically necessary.



Updated: 06/2024 Approved: 06/2024

ERYTHROPOETIN STIMULATING AGENTS PRIOR AUTHORIZATION FORM

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. FAX: (833)-547-2030 If needed, you may call to speak to a Pharmacy Services Representative. PHONE: (844) 325-6251 Mon – Fri 8 am to 7 pm PROVIDER INFORMATION Requesting Provider: NPI: Office Contact: Provider Specialty: Office Address: Office Phone: Office Fax: MEMBER INFORMATION Member Name: DOB: Member ID: Member weight: Height: REQUESTED DRUG INFORMATION Medication: Strength: Refills: Directions: Ouantity: Is the member currently receiving requested medication? \(\subseteq \text{Yes} \) No Date Medication Initiated: Is this medication being used for a chronic or long-term condition for which the medication may be necessary for the life of the patient? Yes No **Billing Information** This medication will be billed: \[\] at a pharmacy **OR** \[\] medically, JCODE: Place of Service: Hospital Provider's office Member's home Other **Place of Service Information** Name: NPI: Address: Phone: MEDICAL HISTORY (Complete for ALL requests) ICD Code: Is this being used for supportive therapy for an oncology diagnosis? \(\subseteq\) Yes \(\subseteq\) No For non-oncology use: Has the member been evaluated for other causes of anemia? Yes No Is the member currently receiving iron supplementation? ☐ Yes ☐ No Transferrin saturation (TSAT): % Date of test: If no, provide serum ferritin: ng/mL What is the member's current hemoglobin level (within 30 days of the request) (g/dL): Will erythropoietin be held or titrated downward if hemoglobin exceeds the recommended goal? Yes No Has the member required RBC transfusions? \(\sumsymbol{\text{Yes}}\), please describe: ☐ No For anemia of chronic renal disease: \triangleright Is the member currently on dialysis? \square Yes \square No For anemia due to treatment with zidovudine in HIV: Erythropoietin Level: mUnits/mL Date drawn: ➤ Weekly zidovudine dose: mg/week As therapy to reduce the need for allogeneic blood transfusions □No ➤ Is the member scheduled to undergo elective, noncardiac, nonvascular surgery? ☐ Yes, date: **CURRENT or PREVIOUS THERAPY Medication Name** Strength/ Frequency **Dates of Therapy Status (Discontinued & Why/Current)** SUPPORTING INFORMATION or CLINICAL RATIONALE **Prescribing Provider Signature** Date