

References

G-24

1. Ikramuddin S, Blackstone RP, Brancatisano A, et al. Effect of reversible intermittent intra-abdominal vagal nerve blockage on morbid obesity - The recharge randomized clinical trial. *JAMA*. 2015;313(1):95.
2. Zheng Y, Wang M, He S, et al. Short-term effects of intragastric balloon in association with conservative therapy on weight loss: a meta-analysis. *J Transl Med*. 2015;13(1):246.
3. Behary J, Kumbhari V. Advances in the endoscopic management of obesity. *Gastroenterol Res Pract*. 2015;2015:757821.
4. Yan Y, Sha Y, Yao G, et al. Roux-en-y gastric bypass versus medical treatment for type 2 diabetes mellitus in obese patients: a systematic review and meta-analysis of randomized controlled trials. *Medicine (Baltimore)*. 2016;95(17):e3462.
5. Ballesteros-Pomar M, González de Francisco T, Cano-Rodríguez I, et al. Biliopancreatic diversion for severe obesity: Long-term effectiveness and nutritional complications. *Obes Surg [serial online]*. 2016;26(1):38-44.
6. Verdi D, Prevedello L, Albanese A, Lobba A, Foletto M. Laparoscopic gastric plication (LGCP) vs sleeve gastrectomy (LSG): A single institution experience. *Obes Surg [serial online]*. 2015;25(9):1653-1657.
7. Garber AJ, Abrahamson MJ, Barzilay JI , et al. Consensus Statement by the American Association of Clinical Endocrinologists and American College of Endocrinology on the Comprehensive Type 2 Diabetes Management Algorithm - 2017 Executive Summary. *Endocr Pract*. 2017;23(2):207-238.
8. Ali MR, Moustarah F, Kim JJ, et al. American Society for Metabolic and Bariatric Surgery position statement on intragastric balloon therapy endorsed by the Society of American Gastrointestinal and Endoscopic Surgeons. *Surg Obes Relat Dis*. 2016;12(3):462-467.
9. Nobili V, Vajro P, Dezsofi A, et al. Indications and limitations of bariatric intervention in severely obese children and adolescents with and without nonalcoholic steatohepatitis: ESPGHAN Hepatology Committee Position Statement. *J Pediatr Gastroenterol Nutr*. 2015;60(4):550-561.
10. Risstad H, Søvik TT, Engström M, et al. Five-year outcomes after laparoscopic gastric bypass and laparoscopic duodenal switch in patients with body mass index of 50 to 60: a randomized clinical trial. *JAMA Surg*. 2015;150(4):352-61.
11. Ali MR, Moustarah F, Kim JJ, et al. American Society for Metabolic and Bariatric Surgery position statement on intragastric balloon therapy endorsed by the Society of American Gastrointestinal and Endoscopic Surgeons. *Surg Obes Relat Dis*. 2016;12(3):462-467.
12. Almalki OM, Lee WJ, Chen JC, et al. Revisional gastric bypass for failed restrictive procedures: Comparison of single anastomosis (Mini-) and Roux-en-Y gastric bypass. *Obes Surg*. 2018;28(4):970-975.

13. Andersen JR, Aasprang A, Karlsen TI, et al. Health-related quality of life after bariatric surgery: a systematic review of prospective long-term studies. *Surg Obes Relat Dis.* 2015;11(2):466-473.
14. Arterburn DE, Olsen MK, Smith VA, et al. Association between bariatric surgery and long-term survival. *JAMA.* 2015;313(1):62-70.
15. Bower G, Toma T, Harling L, et al. Bariatric surgery and non-alcoholic fatty liver disease: a systematic review of liver biochemistry and histology. *Obes Surg.* 2015;25(12):2280-2289.
16. Cheung D, Switzer NJ, Ehmann D, et al. The impact of bariatric surgery on diabetic retinopathy: a systematic review and meta-analysis. *Obes Surg.* 2015;25(9):1604-1609.
17. Childerhose JE, Alsamawi A, Mehta T, et al. Adolescent bariatric surgery: a systematic review of recommendation documents. *Surg Obes Relat Dis.* 2017;13(10):1768-1779.
18. Coffin B, Maounoury V, Pattou F, et al. Impact of intragastric balloon before laparoscopic gastric bypass on patients with super obesity: a randomized multicenter study. *Obes Surg.* 2017;27(4):902-909.
19. Courcoulas A, Abu Dayyeh BK, Eaton L, et al. Intragastric balloon as an adjunct to lifestyle intervention: a randomized controlled trial. *Int J Obes (Lond).* 2017;41(3):427-433.
20. Courcoulas AP, Belle SH, Neiberg RH, et al. Three-year outcomes of bariatric surgery vs lifestyle intervention for type 2 diabetes mellitus treatment: a randomized clinical trial. *JAMA Surg.* 2015;150(10):931-940.
21. Dixon JB, Eaton LL, Curry T, et al. Health outcomes and explant rates after laparoscopic adjustable gastric banding: A phase 4, multicenter study over 5 years. *Obesity (Silver Spring).* 2018;26(1):45-52.
22. Driscoll S, Gregory DM, Fardy JM, et al. Long-term health-related quality of life in bariatric surgery patients: A systematic review and meta-analysis. *Obesity (Silver Spring).* 2016;24(1):60-70.
23. Dumont PN, Blanchet MC, Gignoux B, Matussière Y, Frering V. Medium- to long-term outcomes of gastric banding in adolescents: a single-center study of 97 consecutive patients. *Obes Surg.* 2018;28(1):285-289.
24. Garber AJ, Abrahamson MJ, Barzilay JI, et al. Consensus Statement by the American Association of Clinical Endocrinologists and American College of Endocrinology on the Comprehensive Type 2 Diabetes Management Algorithm - 2017 Executive Summary. *Endocr Pract.* 2017;23(2):207-238.
25. Garvey WT, Mechanick JI, Brett EM, et al. American Association of Clinical Endocrinologists and American College of Endocrinology comprehensive clinical practice guidelines for medical care of patients with obesity. Executive summary. *Endocr Pract.* 2016;22(7):842-884.
26. Groen VA, van de Graaf VA, Scholtes VA, et al. Effects of bariatric surgery for knee complaints in (morbidly) obese adult patients: a systematic review. *Obes Rev.* 2015;16(2):161-170.
27. Hachem A, Brennan L. Quality of life outcomes of bariatric surgery: a systematic review. *Obes Surg.* 2016;26(2):395-409.
28. Ibrahim AM, Thumma JR, Dimick JB. Reoperation and Medicare expenditures after laparoscopic gastric band surgery. *JAMA Surg.* 2017;152(9):835-842.

29. Ikramuddin S, Billington CJ, Lee WJ, et al. Roux-en-Y gastric bypass for diabetes (the Diabetes Surgery Study): 2-year outcomes of a 5-year, randomised, controlled trial. *Lancet Diabetes Endocrinol.* 2015;3(6):413-422.
30. Juodeikis Z, Brimas G. Long-term results after sleeve gastrectomy: A systematic review. *Surg Obes Relat Dis.* 2017;13(4):693-699.
31. Kang JH, Le QA. Effectiveness of bariatric surgical procedures: A systematic review and network meta-analysis of randomized controlled trials. *Medicine (Baltimore).* 2017;96(46):e8632.
32. Lindekilde N, Gladstone BP, Lubeck M, et al. The impact of bariatric surgery on quality of life: a systematic review and meta-analysis. *Obes Rev.* 2015;16(8):639-651.
33. Lopes EC, Heineck I, Athaydes G, et al. Is bariatric surgery effective in reducing comorbidities and drug costs? a systematic review and meta-analysis. *Obes Surg.* 2015;25(9):1741-1749.
34. Manco M, Mosca A, De Peppo F, et al. The benefit of sleeve gastrectomy in obese adolescents on nonalcoholic steatohepatitis and hepatic fibrosis. *J Pediatr.* 2017;180:31-37 e32.
35. Mingrone G, Panunzi S, De Gaetano A, et al. Bariatric-metabolic surgery versus conventional medical treatment in obese patients with type 2 diabetes: 5 year follow-up of an open-label, single-centre, randomised controlled trial. *Lancet.* 2015;386(9997):964-973.
36. Moura D, Oliveira J, De Moura EG, et al. Effectiveness of intragastric balloon for obesity: A systematic review and meta-analysis based on randomized control trials. *Surg Obes Relat Dis.* 2016;12(2):420-429.
37. Muller-Stich BP, Senft JD, Warschkow R, et al. Surgical versus medical treatment of type 2 diabetes mellitus in nonseverely obese patients: A systematic review and meta-analysis. *Ann Surg.* 2015;261(3):421-429.
38. Nobili V, Vajro P, Dezsofi A, et al. Indications and limitations of bariatric intervention in severely obese children and adolescents with and without nonalcoholic steatohepatitis: ESPGHAN Hepatology Committee Position Statement. *J Pediatr Gastroenterol Nutr.* 2015;60(4):550-561.
39. Noren E, Forssell H. Aspiration therapy for obesity; a safe and effective treatment. *BMC Obes.* 2016;3:56.
40. Olbers T, Beamish AJ, Gronowitz E, et al. Laparoscopic Roux-en-Y gastric bypass in adolescents with severe obesity (AMOS): a prospective, 5-year, Swedish nationwide study. *Lancet Diabetes Endocrinol.* 2017;5(3):174-183.
41. Osland E, Yunus RM, Khan S, et al. Weight loss outcomes in laparoscopic vertical sleeve gastrectomy (LVSG) versus laparoscopic roux-en-y gastric bypass (LRYGB) procedures: a meta-analysis and systematic review of randomized controlled trials. *Surg Laparosc Endosc Percutan Tech.* 2017;27(1):8-18.
42. Peterli R, Wölnerhanssen BK, Peters T, et al. Effect of laparoscopic sleeve gastrectomy vs laparoscopic Roux-en-Y gastric bypass on weight loss in patients with morbid obesity: The SM-BOSS Randomized Clinical Trial. *JAMA.* 2018;319(3):255-265.
43. Pilone V, Vitiello A, Hasani A, et al. Laparoscopic adjustable gastric banding outcomes in patients with gastroesophageal reflux disease or hiatal hernia. *Obes Surg.* 2015;25(2):290-294.

44. Ponce J, Woodman G, Swain J, et al. The REDUCE pivotal trial: a prospective, randomized controlled pivotal trial of a dual intragastric balloon for the treatment of obesity. *Surg Obes Relat Dis.* 2015;11(4):874-881.
45. Qi L, Guo Y, Liu CQ, et al. Effects of bariatric surgery on glycemic and lipid metabolism, surgical complication and quality of life in adolescents with obesity: a systematic review and meta-analysis. *Surg Obes Relat Dis.* 2017;13(12):2037-2055.
46. Ricci C, Gaeta M, Rausa E, et al. Long-term effects of bariatric surgery on type II diabetes, hypertension and hyperlipidemia: a meta-analysis and meta-regression study with 5-year follow-up. *Obes Surg.* 2015;25(3):397-405.
47. Rohde U, Hedback N, Gluud LL, et al. Effect of the EndoBarrier Gastrointestinal Liner on obesity and type 2 diabetes: a systematic review and meta-analysis. *Diabetes Obes Metab.* 2016;18(3):300-305.
48. Saber AA, Shoar S, Almadani MW, et al. Efficacy of first-time intragastric balloon in weight loss: a systematic review and meta-analysis of randomized controlled trials. *Obes Surg.* 2017;27(2):277-287.
49. Salminen P, Helmiö M, Ovaska J, et al. Effect of laparoscopic sleeve gastrectomy vs laparoscopic Roux-en-Y gastric bypass on weight loss at 5 years among patients with morbid obesity: The SLEEVEPASS Randomized Clinical Trial. *JAMA.* 2018;319(3):241-254.
50. Sanchez-Pernaute A, Rubio MA, Cabrerizo L, et al. Single-anastomosis duodenal bypass with sleeve gastrectomy (SADI-S) for obese diabetic patients. *Surg Obes Relat Dis.* 2015;11(5):1092-1098.
51. Schauer PR, Bhatt DL, Kirwan JP, et al. Bariatric surgery versus intensive medical therapy for diabetes - 5-year outcomes. *N Engl J Med.* 2017;376(7):641-651.
52. Skogar ML, Sundbom M. Duodenal switch is superior to gastric bypass in patients with super obesity when evaluated with the Bariatric Analysis and Reporting Outcome System (BAROS). *Obes Surg.* 2017;27(9):2308-2316.
53. Strain GW, Torghabeh MH, Gagner M, et al. Nutrient status 9 years after biliopancreatic diversion with duodenal switch (BPD/DS): an observational study. *Obes Surg.* 2017;27(7):1709-1718.
54. Styne DM, Arslanian SA, Connor EL, et al. Pediatric Obesity-Assessment, Treatment, and Prevention: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab.* 2017;102(3):709-757.
55. Sudan R, Nguyen NT, Hutter MM, et al. Morbidity, mortality, and weight loss outcomes after reoperative bariatric surgery in the USA. *J Gastrointest Surg.* 2015;19(1):171-178; discussion 178-179.
56. Sullivan S, Swain JM, Woodman G, et al. Randomized sham-controlled trial evaluating efficacy and safety of endoscopic gastric plication for primary obesity: The ESSENTIAL trial. *Obesity (Silver Spring).* 2017;25(2):294-301.
57. Talebpour M, Sadid D, Talebpour A, et al. Comparison of short-term effectiveness and postoperative complications: laparoscopic gastric plication vs laparoscopic sleeve gastrectomy. *Obes Surg.* 2017.

58. Tate CM, Geliebter A. Intragastric balloon treatment for obesity: review of recent studies. *Adv Ther*. 2017;34(8):1859-1875.
59. Thompson CC, Abu Dayyeh BK, Kushner R, et al. Percutaneous gastrostomy device for the treatment of class II and class III obesity: results of a randomized controlled trial. *Am J Gastroenterol*. 2017;112(3):447-457.
60. Torres A, Rubio MA, Ramos-Levi AM, et al. Cardiovascular risk factors after single anastomosis duodeno-ileal bypass with sleeve gastrectomy (SADI-S): a new effective therapeutic approach? *Curr Atheroscler Rep*. 2017;19(12):58.
61. Hayes, Inc. Comparative Effectiveness Review. *Comparative Effectiveness Review of Bariatric Surgeries for Treatment of Obesity in Adolescents*. Lansdale, PA: Hayes, Inc.;June, 2020.
62. Hayes, Inc. Comparative Effectiveness Review. *Comparative Effectiveness of Roux-en-Y Gastric Bypass and Sleeve Gastrectomy for Treatment of Type II Diabetes: A Review of Reviews*. Lansdale, PA: Hayes, Inc.;September, 2019.
63. Hayes, Inc. Health Technology Assessment. *Roux-en-Y Gastric Bypass for Treatment of Type II Diabetes: A Review of Reviews*. Lansdale, PA: Hayes, Inc.;September, 2020.
64. Hayes, Inc. Health Technology Assessment. *Intragastric Balloons for Treatment of Obesity*. Lansdale, PA: Hayes, Inc.;July, 2020.
65. Michalsky M, Reichard K, Inge T, et al. ASMBs pediatric committee best practice guidelines. *Surg Obes Relat Dis*. 2012;8(1):1-7.
66. ASMBs Clinical Issues Committee. Updated position statement on sleeve gastrectomy as a bariatric procedure. *Surg Obes Relat Dis*. 2012;8(3):e21-26.
67. Mahawar KK, Himpens JM, Shikora SA, et al. The first consensus statement on revisional bariatric surgery using a modified Delphi approach. *Surg Endosc*, 2019.
68. Yang XW, Li PZ, Zhu LY, Zhu SH. Effects of bariatric surgery on incidence of obesity-related cancers: a meta-analysis. *Med Sci Monit*. 2015;21:1350.
69. Wadden TA, Chao AM, Bahnson JL, et al. End-of-trial health outcomes in Look AHEAD participants who elected to have bariatric surgery. *Obesity*. 2019;27(4):581-90.
70. Zhang Y, Wang J, Sun X, et al. Laparoscopic sleeve gastrectomy versus laparoscopic Roux-en-Y gastric bypass for morbid obesity and related comorbidities: a meta-analysis of 21 studies. *Obes Surg*. 2015;25(1):19-26.
71. Hofso D, Fatima F, Borgeraas H et al. Gastric bypass versus sleeve gastrectomy in patients with type 2 diabetes (Oseberg): a single-centre, triple-blind, randomised controlled trial. *Lancet Diabetes Endocrinol*, 2019;7(12).
72. Thompson CC, Abu Dayyeh BK, Kushner V, et al. Aspiration therapy for the treatment of obesity: 4-year results of a multicenter randomized controlled trial. *Surg Obes Relat Dis*. 2019;15(8).
73. Cohen RV, Oliveira da Costa MV, Charry L, et al. Endoscopic gastroplasty to treat medically uncontrolled obesity needs more quality data: A systematic review. *Surg Obes Relat Dis*, 2019;15(7).

74. Wu GZ, Cai B, Yu F, et al. Meta-analysis of bariatric surgery versus non-surgical treatment for type 2 diabetes mellitus. *Oncotarget*. D2016;7(52):87511-87522.
75. Rao WS, Shan CX, Zhang W, et al. A meta-analysis of short-term outcomes of patients with type 2 diabetes mellitus and BMI $\leq 35 \text{ kg/m}^2$ undergoing Roux-en-Y gastric bypass. *World J Surg*. 2015;39(1):223-230.
76. Cummings DE, Cohen RV. Bariatric/Metabolic surgery to treat type 2 diabetes in patients with a BMI $<35 \text{ kg/m}^2$. *Diabetes Care*. 2016;39(6).
77. Cummings DE, Rubino F. Metabolic surgery for the treatment of type 2 diabetes in obese individuals. *Diabetologia*, 2017;61(2).
78. Peterli R, Wölnerhanssen BK, T Peters, et al. Effect of laparoscopic sleeve gastrectomy vs laparoscopic Roux-en-Y gastric bypass on weight loss in patients with morbid obesity: the SM-BOSS randomized clinical trial. *Jama*. 2018;319(3):255-65.
79. Jirapinyo P, Haas AV, Thompson CC. Effect of the duodenal-jejunal bypass liner on glycemic control in patients with type 2 diabetes with obesity: a meta-analysis with secondary analysis on weight loss and hormonal changes. *Diabetes Care*. 2018;41(5):1106-15.
80. Shikora SA, Wolfe BM, Apovian CM, et al. Sustained weight loss with vagal nerve blockade but not with sham: 18-month results of the ReCharge Trial. *J Obes*. 2015;2015:365604.
81. Papasavas P, El Chaar M, Kothari SN, et al. American Society for Metabolic and Bariatric Surgery position statement on vagal blocking therapy for obesity. *Surg Obes Relat Dis*. 2016;12(3):460-461.
82. Apovian CM, Shah SN, Wolfe BM, et al. Two-year outcomes of vagal nerve blocking (vBloc) for the treatment of obesity in the ReCharge trial. *Obes Surg*. 2017;27(1):169-176.
83. Froylich D, Abramovich TS, Fuchs S, Zippel D, Hazzan D. Long-term (over 13 Years) follow-up of vertical band gastroplasty. *Obes Surg*. 2020:1-6.