

## References

M-28

1. Zhang Y, Li J, Wang T, Wang J. Amplitude of sensory nerve action potential in early stage diabetic peripheral neuropathy: an analysis of 500 cases. *Neural Regen Res*. 2014; 9(14):1389–1394.
2. Callaghan B, Burke J, Feldman E. Electrodiagnostic Tests in Polyneuropathy and Radiculopathy. *JAMA*: 2016; 315(3):297-298. Available from: CINAHL Plus with Full Text, Ipswich, MA. Accessed February 26, 2016.
3. Lee N, Kang H, Shin G. Use of antagonist muscle EMG in the assessment of neuromuscular health of the low back. *Physiol Anthropol*. 2015; 34:18. Available from: MEDLINE Complete, Ipswich, MA. Accessed March 1, 2016.
4. American Association of Neuromuscular and Electrodiagnostic Medicine (AANEM). Proper performance and interpretation of electrodiagnostic studies. 2014.
5. American Association of Neuromuscular and Electrodiagnostic Medicine (AANEM). Recommended policy for electrodiagnostic medicine. 2017.
6. Cruz-Almeida Y, Fillingim RB. Can quantitative sensory testing move us closer to mechanism-based pain management? *Pain Med*. 2014; 15(1):61-72.
7. Knutti IA, Suter MR, Opsommer E. Test-retest reliability of thermal quantitative sensory testing on two sites within the L5 dermatome of the lumbar spine and lower extremity. *Neurosci Lett*. 2014; 5(579):157-62.
8. Wang T, Chen S, Peng C, et al. Relevance of nerve conduction velocity in the assessment of balance performance in older adults with diabetes mellitus. *Dis and Rehab*. 2017; 419-427.
9. Callaghan BC, Price RS, Feldman EL. Distal Symmetric Polyneuropathy; A Review. *JAMA*. 2015; 2171-2181.
10. Munin M, Heman-Ackah Y, Rosen C, et al. Consensus statement: Using laryngeal electromyography for the diagnosis and treatment of vocal cord paralysis. *Muscle & Nerve*. 2016; 850-856.
11. Kwok, G, Yip J, Cheung M, et al. Evaluation of myoelectric activity of paraspinal muscles in adolescents with idiopathic scoliosis during habitual standing and sitting. *Biomed Res Int*. 2015; 2015:958450.
12. Dangayach N, Smith M, Claasen J. Electromyography and nerve conduction studies in critical care: step by step in the right direction. *Intensive Care Med*. 2016; 42:1168-1171.
13. Hayes, Inc. Health Technology Brief. *Electromyogram (EMG) and Preoperative Diagnosis of Carpal Tunnel Syndrome*. Landsdale, PA: Hayes, Inc; September 21, 2017. Accessed July 26, 2018.
14. Tulipan J, Lutsky K, Maltenfort M, et al. Patient-reported disability measures do not correlate with electrodiagnostic severity in carpal tunnel syndrome. *Plast Reconstr Surg Glob Open*. 2017; 5(8):e1440.
15. American Association of Neuromuscular & Electrodiagnostic Medicine. Policy statement on electrodiagnosis for distal symmetric polyneuropathy. *Muscle Nerve*. 2018; 57(2):337.

16. Ghosh PS, Sorenson EJ. Diagnostic yield of electromyography in children with myopathic disorders. *Pediatr Neurol*. 2014; 51(2):215.
17. Billakota S, Hobson-Webb LD. Standard median nerve ultrasound in carpal tunnel syndrome: A retrospective review of 1,021 cases. *Clin Neurophysiol Pract*. 2017; 2:188–191.
18. Fowler JR, Munsch M, Tosti R, Hagberg WC, Imbriglia JE. Comparison of ultrasound and electrodiagnostic testing for diagnosis of carpal tunnel syndrome: study using a validated clinical tool as the reference standard. *J Bone Joint Surg Am*. 2014; 96(17).