

References

M-70

1. Centers for Medicare and Medicaid Services (CMS). National Coverage Determination (NCD). 20.19: Ambulatory blood pressure monitoring. [CMS Web site]. 07/01/03. Accessed 01/31/2014.
2. Lambie, James. Home blood pressure monitoring in hypertension. *British Journal of Cardiac Nursing*. 2014; 9(1):13-17.
3. Byrd JB, Brook RD. Arm position during ambulatory blood pressure monitoring: A review of the evidence and clinical guidelines. *J Clin Hypertens*. 2014;16:225-230.
4. Liu W, Ye H, Tang B, et al. Comparison of 44-hour and fixed 24-hour ambulatory blood pressure monitoring in dialysis patients. *J Clin Hypertens*. 2014;16:63–69.
5. Piper MA, Evans CV, Burda BU, et al. Diagnostic and predictive accuracy of blood pressure screening methods with consideration of rescreening intervals: a systematic review for the U.S. Preventive Services Task Force. *Ann Intern Med*. 2015;162(3):192-204.
6. O'Brien E, Dolan E. Ambulatory blood pressure monitoring for the effective management of antihypertensive drug treatment. *Clin Ther*. 2016; 38(10): 2142-2151.
7. Flynn JT, Daniels SR, Hayman LL, et al. Update: ambulatory blood pressure monitoring in children and adolescents: a scientific statement from the American Heart Association. *Hypertension*. 2014;63(5):1116-1135.
8. Shimbo D, Abdalla M, Louise Falzon, Townsend R, Paul Muntner P. Role of ambulatory and home blood pressure monitoring in clinical practice. *Ann Intern Med*. 2015;163:691-700.
9. Turner JR, Viera AJ, Shimbo D. ambulatory blood pressure monitoring in clinical practice: A review. *Am J Med*. 2015;128(1):14-20.
10. Reino-González S, Pita-Fernández S, Seoane-Pillado T, López-Calviño B, Pérttega Díaz S. How in-office and ambulatory BP monitoring compare: A systematic review and meta-analysis. *J Fam Pract*. 2017; 66(1):5-12.
11. Muntner P, Lewis CE, Diaz KM, Carson AP, Kim Y, et al. Racial differences in abnormal ambulatory blood pressure monitoring measures: Results from the Coronary Artery Risk Development in Young Adults (CARDIA) study. *Am J Hypertens*. 2015;28(5):640-648.
12. Martin U, Haque MS, Wood S, Greenfield SM, Gill PS, et al. Ethnicity and differences between clinic and ambulatory blood pressure measurements. *Am J Hypertens*. 2015;28(6):729-738.
13. Siu AL, Force USPST. Screening for high blood pressure in adults: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med*. 2015;163(10):778-786.
14. Flynn JT, Kaelber DC, Baker-Smith CM, Blowey D, Carroll AE, et al. Clinical practice guideline for screening and management of high blood pressure in children and adolescents. *Pediatrics*. 2017;140(3).
15. Whelton PK, Carey RM, Aronow WS, Casey DE Jr, Collins KJ, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: Executive summary: A report of the American College of Cardiology/American Heart Association Task Force on clinical practice guidelines. *J Am Coll Cardiol*. 2018;71(19):2199-2269.