

References

S-155

1. InterQual® Level of Care Criteria 2017. Acute Care Adult. McKesson Health Solutions, LLC.
2. Farrugia G. Histologic changes in diabetic gastroparesis. *Gastroenterology Clinics of North America*. 2015;44(1):31-38.
3. Horbach T, Thalheimer A, Seyfried F, et al. abiliti® closed-loop gastric electrical stimulation system for treatment of obesity: Clinical results with a 27-month follow-up. *Obesity Surgery*. 2015;25(10):1779–1787.
4. Brody F, Zettervall S, Richards N, et al. Follow-Up after Gastric Electrical Stimulation for Gastroparesis. *JACS*. 2015;220(1):57-63.
5. Hayes, Inc. Hayes Medical Technology Directory Pocket Summary. *Gastric Electrical Stimulation for Gastroparesis*. Lansdale, PA: Hayes, Inc.; October, 2017.
6. Klinge MW, Rask P, Mortensen LS, et al. Early assessment of cost-effectiveness of gastric electrical stimulation for diabetic nausea and vomiting. *J Neurogastroenterol Motil*. 2017; 23(4): p.541.
7. Heckert J, Sankineni A, Hughes WB, et al. Gastric electric stimulation for refractory gastroparesis: a prospective analysis of 151 patients at a single center. *Dig Dis Sci*. 2016; 61(1): pp.168-175.
8. Ross J, Masrur M, Gonzalez-Heredia R, et al. Effectiveness of gastric neurostimulation in patients with gastroparesis. *JSLs*. 2014;18(3).
9. Hayes, Inc. Hayes Medical Technology Report. *Gastric Electrical Stimulation for Gastroparesis*. Lansdale, Pa: Hayes, Inc.; October, 2018.
10. National Institute of Health and Care Excellence. Gastroelectrical stimulation for gastroparesis. 2014. Accessed May 15, 2019.
11. Camilleri M, Parkman HP, Shafi MA, et al. Clinical guideline: management of gastroparesis. *Am J Gastroenterol*. 2013; 108(1):18-37. Accessed May 15, 2019.