

References S-9

1. Matthies C, Brill S, Varallyay C, et al. Auditory brainstem implants in neurofibromatosis Type 2: Is open speech perception feasible? *J Neurosurg.* 2014;120(2):546-558.
2. Bayazit YA, Kosaner J, Cinar BC, et al. Methods and preliminary outcomes of pediatric auditory brainstem implantation. *Ann Otol Rhinol Laryngol.* 2014; 123(8):529–536.
3. Larsson A, Tjellstrom A, Stalfors J. Implant losses for the bone-anchored hearing devices are more frequent in some patients. *Otol Neurotol.* 2014; 36(2):336-340.
4. O'Niel M, Runge C, Friedland D, et al. Patient outcomes in magnet-based implantable auditory assist devices. *JAMA Otolaryngol-- Head & Neck Surgery.* 2014; 140(6):513-520.
5. Avail Bayazit Y, Kosaner J, Ozdek A, et al. Methods and preliminary outcomes of pediatric auditory brainstem implantation. *Ann Otol Rhinol Laryngol.* 2014; 123(8):529-536.
6. Amonoo-Kuofi K, Kelly A, Neeff M, et al. Experience of bone-anchored hearing aid implantation in children younger than 5 years of age. *Int J Pediatr Otorhinolaryngol.* 2015; 79(4): 474-480.
7. American Academy of Otolaryngology-Head and Neck Surgery. Position Statement: Bone Conduction Hearing Devices. September 17, 2016. Accessed January 16, 2019.
8. Kara A, Iseri M, Durgut M, Topdag M, Ozturk M. Comparing audiological test results obtained from a sound processor attached to a Softband with direct and magnetic passive bone conduction hearing implant systems. *Eur Arch Otorhinolaryngol* 2016; 273(12):4193-4198.
9. American Academy of Otolaryngology-Head and Neck Surgery. Position Statement: Active Middle Ear Implants. September 17, 2016. Accessed January 17, 2019.
10. Lundin K, Stillesjö F, Nyberg G, Rask-Andersen H. Self-reported benefit, sound perception, and quality-of-life in patients with auditory brainstem implants (ABIs). *Acta Oto-Laryngol.* 2016; 136(1):62-67.
11. Jeddi Z, Jafari Z, Motasaddi Zarandy M, Kassani A. Aural rehabilitation in children with cochlear implants: A study of cognition, social communication, and motor skill development. *Cochlear Implants Int.* 2014; 15(2):93-100.