

References

E-58

1. Zishiri E, Edmond S, Cronin E, et al. Early risk of mortality after coronary artery revascularization in patients with left ventricular dysfunction and potential role of the wearable cardioverter defibrillator. *Circulation: Arrhythmia and Electrophysiology*. 2013;6:117-128.
2. Epstein A, Abraham W, Bianco N, et al. Wearable cardioverter-defibrillator use in patients perceived to be at high risk early post-myocardial infarction. *Journal of the American College of Cardiology*. 2013;62(21):19-26.
3. Adler A, Halkin A, Viskin S. Wearable cardioverter-defibrillators. *Circulation*. 2013;127:854-860.
4. Francis J, Reek S. Wearable cardioverter defibrillator: A life vest till the life boat (ICD) arrives. *Indian Heart Journal*. 2014;66(1):68-72.
5. Wan C, Herzog C, Zareba W, et al. Sudden cardiac arrest in hemodialysis patients with wearable cardioverter defibrillator. *Annals of Noninvasive Electrocardiology*. 2014;19(3):247-257.
6. Chung M. The role of the wearable cardioverter defibrillator in clinical practice. *Cardiology Clinic*. 2014;32(2):253-70.
7. Klein H, Goldenberg H, Moss A. Risk stratification for implantable cardioverter defibrillator therapy: The role of the wearable cardioverter-defibrillator. *European Heart Journal*. 2013;34(29):2230-2242.
8. O'Gara P, Kushner F, Ascheim D, et al. 2013 American College of Cardiology Foundation (ACCF)/American Heart Association (AHA) guideline for the management of ST-elevation myocardial infarction: A report of the / AHA Task Force on practice guidelines. *Journal of the American College of Cardiology*. 2013;61(4):e80-e140.
9. Chung M. Wearable cardioverter-defibrillator. *UpToDate*. 2014.
10. Kroon J, Ellenbogen K. Life vest: Sink or swim. *Circulation: Arrhythmia and Electrophysiology*. 2013;6:5-6.
11. Deeprasertkul P, Opreanu M, Bianco N, et al. National experience with wearable cardioverter-defibrillator use in takotsubo cardiomyopathy. *The Journal of Innovations in Cardiac Rhythm Management*. 2014;5:1707-1713.
12. Jancin B. Wearable defibrillator impresses as bridge. *American College of Emergency Physicians*. 2014.

13. Kondo Y, Linhart M, Andrie RP, et al. Usefulness of the wearable cardioverter defibrillator in patients in the early post-myocardial infarction phase with high risk of sudden cardiac death: A single-center European experience. *APHRS JHRS*. 2015;292-295.
14. Tananwuttiwat T, Garisto JD, Salow A, et al. Protection from outpatient sudden cardiac death following ICD removal using a wearable cardioverter defibrillator. *PACE*. 2014;562-568.
15. Duncker D, Haghikia A, Konig T, et al. Risk for ventricular fibrillation in peripartum cardiomyopathy with severely reduced left ventricular function—value of the wearable cardioverter/defibrillator. *Eur Heart J*. 2014;1331-1336.
16. HRS/ACC/AHA expert consensus statement on the use of implantable cardioverter-defibrillator therapy in patients who are not included or not well represented in clinical trials. *JACC*. 2014;1143-1177.
17. 2015 ESC Guidelines for the Management of Patients With Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death. *Eur Heart J*. 2015.
18. Kutiyafa V, Moss AJ, Klein H, et al. Use of the wearable cardioverter defibrillator in high-risk cardiac patients: Data from the Prospective Registry of Patients Using the Wearable Cardioverter Defibrillator (WEARIT-II Registry). *Circulation*. 2015;132(17):1613-1619.
19. Lamichhane M, Safadi A, Surapaneni P, et al. Use of the wearable cardioverter defibrillator in high-risk populations. *Curr Cardiol Rep*. 2016;18(8):1-8.
21. Kusumoto FM, Calkins H, Boehmer J, et al. HRS/ACC/AHA expert consensus statement on the use of implantable cardioverter-defibrillator therapy in patients who are not included or not well represented in clinical trials. *Circulation*. 2014;130(1):94-125.
22. Amsterdam EA, Wenger NK, Brindis RG, et al. 2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;130(25):e344-426.
23. Piccini JP, Allen LA, Kudenchuk PJ, Page RL, Patel MR, et al. Wearable cardioverter-defibrillator therapy for the prevention of sudden cardiac death. *Circulation*. 2016;133:1715-1727.
24. Duncker D, Thorben König T, Hohmann S, Bauersachs J, Veltmann C. Avoiding untimely implantable cardioverter/defibrillator implantation. *J Am Heart Assoc*. 2017;6:e004512.
25. Reek S, Burri H, Roberts PR, Perings C, Epstein AE, et al. The wearable cardioverter-defibrillator: current technology and evolving indications. *Europace*. 2017;19: 335–345.