References
M-13

1. Yang S, Zhou Li, Zhoungwu L, et.al. Systematic review with meta-analysis of intraoperative neuromonitoring during thyroidectomy. *Int J Surg.* 2017;104-113.

2. Harel R, Schleifer S, Appel S, et al. Spinal intradural extramedullary tumors: The value of intraoperative neurophysiologic monitoring on the surgical outcome. *Neurosurg Rev*. 2017;40:613–619.

3. Hayes, Inc. Evidence Analysis Research Brief. *Intraoperative Neurophysiological Monitoring During Lumbar Spine Surgery*. Lansdale, Pa: Hayes, Inc. 02/15/2020.

4. Hayes, Inc. Health Technology Assessment. *Multimodal Intraoperative Monitoring (MIOM) During Surgery for Scoliosis and Spinal Deformities.* Lansdale, Pa: Hayes, Inc. 01/22/2019.

5. Hayes, Inc. Health Technology Assessment. *Multimodality Intraoperative Monitoring (MIOM) During Cervical Spinal Surgery*. Lansdale, Pa: Hayes, Inc. 01/16/2019.

6. Ajiboye RM, Zoller SD, Sharma A, et al. Intraoperative neuromonitoring for anterior cervical spine surgery: What is the evidence? *Spine.* 2017;42(6):385.

7. Charalampidis A, Jiang F, Wilson JR, et al. The use of intraoperative neurophysiological monitoring in spine surgery. *Global Spine J.* 2020;10(1):104S-14S.

8. Koo DL, Lee WG, Hong SC, et al. Clinical usefulness of intraoperative motor-evoked potential monitoring during temporal lobe epilepsy surgery. *J Clin Neurol*. 2019;15(3):285-91.

9. Sutter M, Eggspuehler A, Jeszenszky D, et al. The impact and value of uni-and multimodal intraoperative neurophysiological monitoring (IONM) on neurological complications during spine surgery: A prospective study of 2728 patients. *Eur Spine J.* 2019;28(3):599-610.

10. Cirocchi R, Arezzo A, D'Andrea V, et al. Intraoperative neuromonitoring versus visual nerve identification for prevention of recurrent laryngeal nerve injury in adults undergoing thyroid surgery. *Cochrane Database Syst Rev.* 2019(1).

11. Vasileiadis I, Karatzas T, Charitoudis G, et al. Association of intraoperative neuromonitoring with reduced recurrent laryngeal nerve injury in patients undergoing total thyroidectomy. *JAMA Otolaryngol Head & Neck Surg*. 2016;142(10):994-1001.

12. Wang S, Ren Z, Liu J, Zhang J, Tian Y. The prediction of intraoperative cervical cord function changes by different motor evoked potentials phenotypes in cervical myelopathy patients. *BMC Neurol*. 2020;20:221.

13. Pan S, Chen J, Cheng W, Lee H, Shen C. The role of tailored intraoperative neurophysiological monitoring in glioma surgery: A single institute experience. *J Neurooncol.* 2020;146:459–467.