

References

M-50

1. Zoler M. Syncope Dx Moving to Implantable Recorders. *Cardiovascular Medicine*. Accessed January 13, 2013.
2. Khan M, Miller D. Detection of paroxysmal atrial fibrillation in stroke/tia patients. *Stroke Research and Treatment*. Volume. 2013. Accessed 4/8/13.
3. Pachulski R, Cockrell J, Solomon H, et al. Implant evaluation of an insertable cardiac monitor outside the electrophysiology lab setting. *PLoS One*. 2013; 8(8): e71544.
4. Khan M, Miller D. Detection of Paroxysmal Atrial Fibrillation in Stroke/Tia Patients. *Stroke Res Treat*. 2013; 2013:840265.
5. Boriani G, Glotzer T, Santini M, et al. Device-detected atrial fibrillation and risk for stroke: An analysis of >10 000 patients from the SOS AF project (Stroke preventiOn Strategies based on atrial fibrillation information from implanted devices). *EurHeart*. 2014; 35(8): 508-516.
6. Ritter MA, Kochhauser S, Dunning T, et al. Occult Atrial Fibrillation in Cryptogenic Stroke: Detection by 7-day Electrocardiogram versus implantable cardiac monitors. *Journal of the American Heart Association-Stroke*. 2013; 44: 1449-1452.
7. Kishore A, Vail A, Majid A, et al. Detection of atrial fibrillation after ischemic stroke or transient ischemic attack. *Journal of the American Heart Association-Stroke*. 2014 Jan.
8. Glotzer TV, Ziegler PD. Does Atrial Fibrillation Detected by Cardiac Implantable Electronic Devices Have Clinical Relevance? *Cardiology Clinics*. 2014 May; 32(2): 271-281.
9. University of California, San Francisco. Long-term cardiac monitoring after cryptogenic stroke (CMACS). In: ClinicalTrials.gov. San Francisco (CA): National Library of Medicine (US). 2014 May 8.
10. Medtronic Cardiac Rhythm Disease management, Medtronic Bakken Research Center. Study of continuous cardiac monitoring to assess atrial fibrillation after cryptogenic stroke (CRYSTAL-AF). In: ClinicalTrials.gov. Medtronic Cardiac Rhythm Disease Management: Federal Institute for Drugs and Medical Devices (GR). 2014 May 8.
11. Sanna, T, Diener HC, Passman RS, et al. Cryptogenic stroke and underlying atrial fibrillation. *New England Journal of Medicine*. 2014;370:2478-2486.
12. Brunner KJ, Bunch TJ, Mullin CM, et al. Clinical predictors of risk for atrial fibrillation: Implications for diagnosis and monitoring. *Mayo Clin Proc*. 2014; 89(11):1498-1505.
13. Gladstone DJ, Spring M, Dorian P, et al. Atrial fibrillation in patients with cryptogenic stroke. *N Engl J Med*. 2014; 370(26): 2467-2477.
14. Andrade, JG, Krahn AD. Is an implantable cardiac monitor the standard of care for determining the success of atrial fibrillation ablation? *J Cardiovasc Electrophysiol*. 2013; 24: 1083-1085.
15. Prevention of stroke in non-valvular atrial fibrillation. American Academy of Neurology (AAN) A Summary of Evidence-based Guideline for Clinicians. 2014.

16. Verma A, Ha CTA, Dennie C, et al. Canadian Heart Rhythm Society and Canadian Association of Radiologists consensus statement on magnetic resonance imaging with cardiac implantable electronic devices. *Canadian Assoc Rad J.* 2014; 65:290-300.
17. Frontera A, Carpenter A, Duncan E, et al. Demographic and Clinical Characteristics to Predict Paroxysmal Atrial Fibrillation: Insights from an Implantable Loop Recorder Population. *Pacing & Clinical Electrophysiology.* October 2015;38(10):1217-1222. Available from: CINAHL Plus with Full Text, Ipswich, MA. Accessed June 9, 2017.
18. Ergul Y, Tanidir I, Ozyilmaz I, Akdeniz C, Tuzcu V. Evaluation rhythm problems in unexplained syncope etiology with implantable loop recorder. *Pediatrics International: Official Journal Of The Japan Pediatric Society.* June 2015;57(3):359-366. Available from: MEDLINE Complete, Ipswich, MA. Accessed June 9, 2017.
19. Afzal, M.R., Gunda, S., Waheed, S., et al. Role of Outpatient Cardiac Rhythm Monitoring in Cryptogenic Stroke: A Systematic Review and Meta-Analysis. *Pacing & Clinical Electrophysiology.* October 2015;38(10):1236-1245. doi: 10.1111/pace.12688. Accessed June 14, 2017.
20. Poli S, Diedler J, Zuern C, et al. Insertable cardiac monitors after cryptogenic stroke--a risk factor based approach to enhance the detection rate for paroxysmal atrial fibrillation. *European Journal Of Neurology.* February 2016;23(2):375-381. Available from: MEDLINE Complete, Ipswich, MA. Accessed June 14, 2017.
21. Podrid P.J. Ambulatory ECG Monitoring. In: UpToDate, Post TW (Ed), UpToDate, Waltham, MA. Accessed on June 6, 2016.
22. Kernan, W.N., Ovbiagele, B., Black, H.R. et al. Guidelines for the Prevention of Stroke in Patients With Stroke and Transient Ischemic Attack. *Stroke.* 2014;45:2160-2236. doi.org/10.1161/STR.0000000000000024. Accessed June 14, 2017.
23. Brachmann J., Morillo C. A., Sanna T., et al. Uncovering Atrial Fibrillation Beyond Short-Term Monitoring in Cryptogenic Stroke Patients Three-Year Results From the Cryptogenic Stroke and Underlying Atrial Fibrillation Trial. *Circ Arrhythmia and Electrophysiology.* 2016;9:e00333.
24. Jauch, E.C., Saver, J. L., Adams, H. P., et al. Guidelines for the Early Management of Patients With Acute Ischemic Stroke. *Stroke.* 2013;44:870-947.
25. Galli A, Ambrosini F, Lombardi F. Holter Monitoring and Loop Recorders: From Research to Clinical Practice. *Arrhythmia & Electrophysiology Review.* 2016;5(2):136-143. doi:10.15420/AER.2016.17.2.
26. Bolourchi M, Batra A. Diagnostic yield of patch ambulatory electrocardiogram monitoring in children (from a national registry). *The American Journal of Cardiology* [serial online]. March 1, 2015;115(5):630-634. Available from: MEDLINE Complete, Ipswich, MA. Accessed June 19, 2017.
27. Mittal S, Movsowitz C, Steinberg J.S. Ambulatory External Electrocardiographic Monitoring Focus on Atrial Fibrillation. *J Am Coll Cardiol* 2011;58:1741-9.
28. Experts Release Guidelines for Evaluating, Managing Syncope. News. http://newsroom.heart.org/news/experts-release-guidelines-for-evaluating-managing-syncope?utm_campaign=sciencenews16-17&utm_source=science-news&utm_medium=phd-link&utm_content=phd03-09-17. Published March 9, 2017. Accessed June 6, 2017.

29. Mobile cardiac outpatient telemetry for detecting arrhythmias. ECRI Institute. 2015. Accessed February 24, 2017.
30. Solomon M, Yang J, Sung S, et al. Incidence and timing of potentially high-risk arrhythmias detected through long term continuous ambulatory electrocardiographic monitoring. *BMC Cardiovascular Disorders*. (2016); 16:35 DOI 10.1186/s12872-016-0210-x.
31. Sangha, R.S., Bernstein, R. Advances in the detection and monitoring of atrial fibrillation for patients with cryptogenic ischemic stroke. *Curr Atheroscler Rep* (2015) 17: 71. doi 10.1007/s11883-015-0544-3.
32. Culebras A, Messe S, Chaturvedi S, Kase C, Gronseth G. Summary of evidence-based guideline update: prevention of stroke in nonvalvular atrial fibrillation report of the guideline development subcommittee of the American academy of neurology. *Neurology*. 2014 Feb 25;82(8):716-24.
33. January CT, Wann LS, Alpert JS, et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the american college of cardiology/american heart association task force on practice guidelines and the heart rhythm Society. *J Am Coll Cardiol*. 2014 Dec 2;64(21):e1-e76.