

References

M-81

1. National Institute for Health (NIH) and Clinical Excellence (NICE) quality standards. Chronic heart failure in adults. Last updated 2016.
2. Bozhurt B. 2016 American College of Cardiology Foundation/American Heart Association (ACCF/AHA) Focused update on new pharmacological therapy for heart failure: An update of the 2013 ACCF/AHA guideline for the management of heart failure. A report of the ACCF/AHA Task Force on clinical practice guidelines and the Heart Failure Society of America. *Circulation*. 2016;134.
3. Barghash MH, Reventovich A. The use of implantable HF monitoring systems and the CHAMPION trial. *American College of Cardiology*. 2016.
4. Mehta Y, Arora D. Newer methods of cardiac output monitoring. *World Journal of Cardiology*. 2014; 6(9):1022-1029.
5. McDonald, K. Role of monitoring devices in preventing heart failure admissions. *Curr Heart Fail Rep*. 2015;12:269-275.
6. Yandrapalli, S. Ambulatory pulmonary artery pressure monitoring in advanced heart failure patients. *World J Cardiol*. 2017;9(1): 21-26.
7. Sandhu, A. Cost-Effectiveness of implantable pulmonary artery pressure monitoring in chronic heart failure. *JACC Heart Fail*. 2016;4(5): 368-375.
8. Heart Failure Society of America. Evaluation and management of patients with heart failure and preserved left ventricular ejection fraction. *Journal of Cardiac Failure*. 2010;16(6): 126-133.
9. Food and Drug Administration (FDA). Summary of Safety and Effectiveness Data (SSED). 2014.
10. Ollendorf D, Sandhu A, Pearson, S. CardioMEMS HF for the Management of Heart Failure—Effectiveness and Value. *JAMA Internal Medicine*. 2016;176:1551-3.
11. Emani, S. Remote Monitoring to Reduce Heart Failure Readmissions. *Curr Heart Fail Rep*. 2017; 14;40-47.
12. Hayes, Inc. Hayes Medical Technology Brief. Wireless Pulmonary Artery Pressure Monitoring with CardioMEMS (St Jude Medical Inc.) HF System for Management of Chronic Heart Failure (HF). Lansdale PA; Hayes INC; November 2016. Accessed September 18, 2018