

References

S-179

Laparoscopic and Percutaneous Techniques for Myolysis

1. Food and Drug Administration. *Quantitative Assessment of the Prevalence of Unsuspected Uterine Sarcoma in Women Undergoing Treatment of Uterine Fibroids: Summary and Key Findings*. Silver Springs, MD: Food and Drug Administration; 2014.
2. Falk SJ, Barss VA. What's new in obstetrics and gynecology. UpToDate. Literature review current through: 2014.
3. Stewart, EA. Differentiating uterine leiomyomas (fibroids) from uterine sarcomas. UpToDate. Literature review current through: 2014.
4. Wright JD, Tergas AI, Burke WM, et al. Uterine pathology in women undergoing minimally invasive hysterectomy using morcellation. *JAMA*. 2014;69(11):653-654.

Laparoscopic Ultrasound-guided Radiofrequency Ablation

1. Brucker SY, Hahn M, Kraemer D, et al. Laparoscopic radiofrequency volumetric thermal ablation of fibroids versus laparoscopic myomectomy. *Int J Gynaecol Obstet*. 2014;125(3):261-265.
2. Kramer B, Hahn M, Taran FA, et al. Interim analysis of a randomized controlled trial comparing laparoscopic radiofrequency volumetric thermal ablation of uterine fibroids with laparoscopic myomectomy. *Int J Gynaecol Obstet*. 2016;133(2):206-211.
3. Havryliuk Y, Setton R, Carlow JJ, Shaktman BD. Symptomatic fibroid management: systematic review of the literature. *JSLs*. 2017;21(3): e2017.00041.
4. Hayes, Inc. Health Technology Brief. Laparoscopic Radiofrequency Volumetric Thermal Ablation (Acessa System; Halt Medical Inc.) for Treatment of Uterine Fibroids. November 3, 2017. Accessed February 5, 2018.
5. Gingold JA, Gueye NA, Falcone T. Minimally invasive approaches to myoma management. *Journal of Minimally Invasive Gynecology*. 2018;25(2):237-250.
6. Laughlin-Tommaso SK. Non-surgical management of myomas. *Journal of Minimally Invasive Gynecology*. 2018;25(2):229-236.

Transcatheter Uterine Artery Embolization

1. Magon N, Chauhan M, Goel P, et al. Levonorgestrel intrauterine system: Current role in management of heavy menstrual bleeding. *Journal of Mid-Life Health*. 2013;4(1):8-15.
2. Management of acute abnormal uterine bleeding in non-pregnant reproductive-aged women. *The American Congress of Obstetricians and Gynecologist*. Number 557;April 2013.
3. Mohan P, Hamblin M, Vogelzang R. Uterine artery embolization and its effect on fertility. *Journal of Vascular and Interventional Radiology*.2013;24(7):925-930.
4. McLucas B, Voorhees WD 3rd, Chua KJ. Anti Müllerian hormone levels before and after uterine artery embolization: A preliminary report. *Minim Invasive Ther Allied Technol*. 2015;24:242-245.

Endometrial Ablation

1. Marjoribanks J, Lethaby A, Farquhar C. Surgery versus medical therapy for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2016(1);1-97.
2. ACOG Practice Bulletin. Clinical Practice Guidelines for Obstetrician-Gynecologists. 2017(81). Reaffirmed 2018. Accessed July 25, 2018.

3. van den Brink MJ, Beelen P, Herman MC, Claassen NJJ, Bongers MY, et al. Women's preferences for levonorgestrel intrauterine system versus endometrial ablation for heavy menstrual bleeding, *Eur J Obstet Gynecol*. 2018. doi:10.1016/j.ejogrb.2018.06.020.

5. Mohan PP, Hamblin MH, Vogelzang RL. Uterine artery embolization and its effect on fertility. *J Vasc Interv Radiol*. 2013;24(7):925-930.
6. Panagiotopoulou N, Nethra S, Karavolos S, et al. Uterine-sparing minimally invasive interventions in women with uterine fibroids: A systematic review and indirect treatment comparison meta-analysis. *Acta Obstet Gynecol Scand*. 2014;3(9):858-867.
7. Dariushnia S., Nikolic B, Stokes L, et al. Quality improvement guidelines for uterine artery embolization for symptomatic leiomyomata. *J Vasc Interv Radiol*. 2014;25:1737–1747.

Endometrial Ablation

1. Lethaby A, Penninx J, Hickey M, et al. Endometrial resection and ablation techniques for heavy menstrual bleeding. *Cochrane Database Syst Rev*. 2013;8:CD001501. PMID 23990373
2. Hauk L; American College of Obstetricians and Gynecologists. ACOG releases guidelines on management of abnormal uterine bleeding associated with ovulatory dysfunction. *Am Fam Physician*. 2014;89(12):987-988.
3. Zhou J, He L, Liu P, et al. Outcomes in adenomyosis treated with uterine artery embolization are associated with lesion vascularity: a long-term follow-up study of 252 cases. *PLoS One*. 2016;11(11):e0165610.
4. Barnard EP, AbdElmagied AM, Vaughan LE, et al. Periprocedural outcomes comparing fibroid embolization and focused ultrasound: a randomized controlled trial and comprehensive cohort analysis. *Am J Obstet Gynecol*. 2017;216(5):500.e1-500.e11.