

References

S-186

1. Hayes, Inc. Hayes Health Technology Brief. Magnetic resonance-guided focused ultrasound therapy (exablate; insightec ltd.) for palliation of painful bone metastases. Lansdale, PA: Hayes, Inc. 3/3/3019.
2. Hayes Health Technology Assessment. Magnetic resonance-guided focused ultrasound therapy for treatment of uterine fibroids. Lansdale, PA: Hayes Inc. 12/2/2020.
3. Hayes Health Technology Brief. Magnetic resonance-guided focused ultrasound unilateral thalamotomy for essential tremor. Lansdale, PA: Hayes Inc. 4/19/2021.
4. Yi-Chieh T, Hsin-Lun L, Chia-chun K, et al. Prognostic and predictive factors for clinical and radiographic responses in patients with painful bone metastasis treated with magnetic resonance guided focused ultrasound surgery. *Int J Hyperthermia*. 2019;36(1):932-937.
5. Halpern C, Santin V, Lipsman N, et al. Three-year follow-up of prospective trial of focused ultrasound thalamotomy for essential tremor. *Neurology*. 2019;93(24):e2284-e2293.
6. Kapadia AN, Elias GJB, Boutet A, et al Multimodal MRI for MRgFUS in essential tremor: Posttreatment radiological markers of clinical outcome. *J Neurol Neurosurg Psychiatry Res*. 2020;91:921-927.
7. Miller W, Becker K, Caras A, et al. Magnetic resonance-guided focused ultrasound treatment for essential tremor shows sustained efficacy: A meta-analysis. *Neurol Rev*. 2022;45:533-544.
8. Lennon J, Hassan I. Magnetic resonance-guided focused ultrasound for Parkinson's disease since ExAblate, 2016–2019: A systematic review. *Neurol Sci*. 2021. 42;553-563.
9. Hse F, Lee H, Chen Y, et al. A few-shot learning approach assists in the prognosis prediction of magnetic resonance-guided focused ultrasound for the local control of bone metastatic lesions. *Cancers*. 2022;14:445.
10. Xu F, Deng L, Zhang L, et al. The comparison of myomectomy, UAE and MRgFUS in the treatment of uterine fibroids: a meta analysis. *Int J Hyperthermia*. 2021; 38(2): 24-29.
11. Otonkoski S, Sainio T, Mattila S, et al. Magnetic resonance guided high intensity focused ultrasound for uterine fibroids and adenomyosis has no effect on ovarian reserve. *Int J Hyperthermia*. 2023; 40(1): 2154575.
12. Ghai S, Finelli A, Corr K, et al. MRI-guided Focused Ultrasound Ablation for Localized Intermediate-Risk Prostate Cancer: Early Results of a Phase II Trial. *Radiology*. 2021; 298(3): 695-703.
13. Ehdaie B, Tempany CM, Holland F, et al. MRI-guided focused ultrasound focal therapy for patients with intermediate-risk prostate cancer: a phase 2b, multicentre study. *Lancet Oncol*. 2022; 23(7): 910-918.
14. Arrigoni F, Spiliopoulos S, de Cataldo C, et al. A Bicentric propensity score matched study comparing percutaneous computed tomography-guided radiofrequency ablation to magnetic resonance-guided focused ultrasound for the treatment of osteoid osteoma. *J Vasc Interv Radiol*. 2021; 32(7): 1044-1051.

15. Arrigoni F, Napoli A, Bazzocchi A, et al. Magnetic-resonance-guided focused ultrasound treatment of non-spinal osteoid osteoma in children: multicentre experience. *Pediatr Radiol*. 2019; 49(9): 1209-1216.
16. Giordano M, Caccavella VM, Zaed I, et al. Comparison between deep brain stimulation and magnetic resonance-guided focused ultrasound in the treatment of essential tremor: a systematic review and pooled analysis of functional outcomes. *J Neurol Neurosurg Psychiatry*. 2020; 91(12): 1270-1278.
17. Eastham JA, Boorjian SA, Kirkby E. Clinically Localized Prostate Cancer: AUA/ASTRO Guideline. *J Urol*. 2022; 208(3): 505-507.
18. Baal JD, Chen WC, Baal U, et al. Efficacy and safety of magnetic resonance-guided focused ultrasound for the treatment of painful bone metastases: A systematic review and meta-analysis. *Skeletal Radiol*. 2021; 50(12): 2459-2469.