

References

S-208

1. Physician Data Query (PDQ®). Adult non-Hodgkin lymphoma treatment. Modified 01/21/2011. Available online at www.cancer.gov Accessed April 2011.
2. Montoto S, Corradini P, Dreyling M, et al. Indications for hematopoietic stem cell transplantation in patients with follicular lymphoma: A consensus project of the European Group for Blood and Marrow Transplantation (EBMT)-Lymphoma Working Party. *Haematologica*. 2013;98(7):1014-1021.
3. Oguz G, Akin S, Durna Z. Symptoms after hospital discharge following hematopoietic stem cell transplantation. *Indian Journal of Palliative Care*. 2014;20(1):41-49.
4. Reddy N, Oluwole O, Greer J, et al. Outcomes of autologous or allogeneic stem cell transplantation for non-Hodgkin lymphoma. *Experimental Hematology*. 2014;42:39-45.
5. Wade I, Reddy N. Consolidative autologous hematopoietic stem-cell transplantation in first remission for non-Hodgkin lymphoma: Current indications and future perspective. *Therapeutic Advances in Hematology*. 2014;5(5):153-167.
6. Cai Q, Chen Y, Zou D, et al. Clinical outcomes of a novel combination of lenalidomide and rituximab followed by stem cell transplantation for relapsed/refractory aggressive B-cell non-Hodgkin lymphoma. *Oncotarget*. 2014;5(17):7368-7380.
7. Bhatt V, Vose J. Hematopoietic stem cell transplantation for non-Hodgkin lymphoma. *Hematology Oncology Clinics of North America*. 2014;28(6):1073-1095.
8. Yin J, Wei J, et al. Autologous Stem Cell Transplantation as the First-Line Treatment for Peripheral T Cell Lymphoma: Results of a Comprehensive Meta-Analysis. *Acta Haematol*. 2014;131:114-125.
9. National Comprehensive Cancer Network (NCCN). NCCN clinical practice guidelines in Oncology: non-Hodgkin's lymphoma. Version 02/2015.
10. Mussetti A, Devlin SM, et al. Non-myeloablative allogeneic hematopoietic stem cell transplantation for adults with relapsed and refractory mantle cell lymphoma: a single-center analysis in the rituximab era. *Bone Marrow Transplantation*. 2015;50:1293-1298.
11. National Guideline Clearinghouse (NGC). Non-Hodgkin's lymphoma: diagnosis and management. July 20, 2016.
12. National Cancer Institute. Adult Non-Hodgkin Lymphoma Treatment (PDQ®)—Health Professional Version. April 13, 2017.
13. Costa L, Kumar S, Stowell S, Dermer J. Mobilization and transplantation patterns of autologous hematopoietic stem cells in multiple myeloma and non-hodgkin lymphoma. *Cancer Control*. 2015;22:87-94.
14. Valtola J, Varmavuo V, Ropponen A, Selander T, et al. Early immune recovery after autologous transplantation in non-Hodgkin lymphoma patients: predictive factors and clinical significance.

Leukemia and Lymphoma. 2016;57(9):2025-2032.

15. Hayes, Inc. Hayes Medical Technology Directory Report. *Umbilical Cord Blood Stem Cell Transplantation for Hematological and Lymphoid Malignancies in Adults*. Lansdale, PA: Hayes, Inc.; December, 2017.
16. Picleanu A, Novella S, Monter A, Garcia-Cadenas I, et al. Allogeneic hematopoietic stem cell transplantation for non-Hodgkin's lymphomas: a retrospective analysis of 77 cases. *Ann Hematol*. 2017;96:787-796.
17. Gilli S, Novak U, Taleghani M, Baerlocher G, et al. BeEAM conditioning with bendamustine-replacing BCNU before autologous transplantation is safe and effective in lymphoma patients. *Ann Hematol*. 2017;96:421-429.