

References

S-247

1. Adili A, Trousdale R. Femoral head resurfacing for the treatment of osteonecrosis in the young patient. *Clin Orthop Relat Res.* 2003 Dec;(417):93-101.
2. Allison C. Minimally invasive hip resurfacing. *Issues Emerg Health Technol.* 2005;(65):1-4.
3. Amstutz H, Ball S, Le Duff M, Dorey F. Resurfacing THA for Patients Younger Than 50 Years: Results of 2- to 9-year Follow-up. *Clin Orthop Relat Res.* 2007 Jul;460:159-64.
4. Amstutz H, Su E, Le Duff M. Surface arthroplasty in young patients with hip arthritis secondary to childhood disorders. *Orthop Clin North Am.* 2005 Apr;36(2):223-30.
5. Andrew J, Palan J, Kurup H, et al. Obesity in total hip replacement. *Journal of Bone & Joint Surgery - British Volume.* 90(4):424-9, 2008 Apr.
6. Back D, Dalziel R, Young D, Shimmin A. Early results of primary Birmingham hip resurfacings. An independent prospective study of the first 230 hips. *J Bone Joint Surg Br.* 2005 Mar;87(3):324-9.
7. Beaule P, Antoniades J. Patient selection and surgical technique for surface arthroplasty of the hip. *Orthop Clin North Am.* 2005 Apr;36(2):177-85, viii-ix.
8. Beaule P, Schmalzried T, Campbell Pet al. Duration of symptoms and outcome of hemiresurfacing for hip osteonecrosis. *Clin Orthop Relat Res.* 2001 Apr;(385):104-17.
9. Biring G, Masri B, Greidanus Net al. Predictors of quality of life outcomes after revision total hip replacement. *Journal of Bone & Joint Surgery - British Volume.* 89(11):1446-51, 2007 Nov.
10. Boraiah S, Ragsdale M, Achor T, Et al. Open reduction internal fixation and primary total hip arthroplasty of selected acetabular fractures. *Journal of Orthopaedic Trauma.* 23(4):243-8, 2009 Apr.
11. Boyd H, Ulrich S, Seyler T, et al. Resurfacing for Perthes disease: an alternative to standard hip arthroplasty. *Clin Orthop Relat Res.* 2007 Dec;465:80-5.
12. Busato A, Roder C, Herren S, Eggli S. Influence of high BMI on functional outcome after total hip arthroplasty. *Obesity Surgery.* 18(5):595-600, 2008 May.
13. California Technology Assessment Forum (CTAF). Metal-on-metal total hip resurfacing as an alternative to total hip arthroplasty. A Technology Assessment. San Francisco, CA: CTAF; October 17, 2007.
14. Dumbleton J, Manley M. Metal-on-Metal total hip replacement: What does the literature say? *J Arthroplasty.* 2005;20(2):174-188.
15. Ferrara P, Rabini A, Aprile I, Et al. Effect of pre-operative physiotherapy in patients with endstage osteoarthritis undergoing hip arthroplasty. *Clinical Rehabilitation.* 22(10-11):977-86, 2008 Oct-Nov.
16. Girard J, Lavigne M, Vendittoli P, Roy A. Biomechanical reconstruction of the hip: a randomised study comparing total hip resurfacing and total hip arthroplasty. *J Bone Joint Surg Br.* 2006 Jun;88(6):721-6.
17. Gjertsen J, Lie S, Fevang J, et al. Total hip replacement after femoral neck fractures in

elderly patients : results of 8,577 fractures reported to the Norwegian Arthroplasty Register. *Acta Orthopaedica*. 78(4):491-7, 2007 Aug.

18. Grecula M. Resurfacing arthroplasty in osteonecrosis of the hip. *Orthop Clin North Am*. 2005 Apr;36(2):231-42.
19. Grigoris P, Roberts P, Panousis K, Bosch H. The evolution of hip resurfacing arthroplasty. *Orthop Clin North Am*. 2005 Apr;36(2):125-34, vii.
20. Hamel M, Toth M, Legedza A, Rosen M. Joint replacement surgery in elderly patients with severe osteoarthritis of the hip or knee: decision making, postoperative recovery, and clinical outcomes. *Archives of Internal Medicine*. 168(13):1430-40, 2008 Jul 14.
21. Le Duff M, Amstutz H, Dorey F. Metal-on-metal hip resurfacing for obese patients. *J Bone Joint Surg Am*. 2007 Dec;89(12):2705-11.
22. Lubbeke A, Katz J, Perneger T, Hoffmeyer P. Primary and revision hip arthroplasty: 5-year outcomes and influence of age and comorbidity. *Journal of Rheumatology*. 34(2):394-400, 2007 Feb.
23. Lubbeke A, Moons K, Garavaglia G, Hoffmeyer P. Outcomes of obese and nonobese patients undergoing revision total hip arthroplasty. *Arthritis & Rheumatism*. 59(5):738-45, 2008 May 15.
24. Marker D, Seyler T, Jinnah H, et al. Femoral neck fractures after metal-on-metal total hip resurfacing: a prospective cohort study. *J Arthroplasty*. 2007 Oct;22(7 Suppl 3):66-71.
25. McLaughlin J, Lee K. The outcome of total hip replacement in obese and non-obese patients at 10- to 18-years. *Journal of Bone & Joint Surgery - British Volume*. 88(10):1286-92, 2006 Oct.
26. Mont M, Rajadhyaksha A, Hungerford D. Outcomes of limited femoral resurfacing arthroplasty compared with total hip arthroplasty for osteonecrosis of the femoral head. *J Arthroplasty*. 2001 Dec;16(8 Suppl 1):134-9.
27. Mont M, Seyler T, Marker D, et al. Use of metal-on-metal total hip resurfacing for the treatment of osteonecrosis of the femoral head. *J Bone Joint Surg Am*. 2006 Nov;88 Suppl 3:90-7.
28. Moroni A, Cadossi M, Bellenghi C, et al. Resurrection of hip resurfacing: what is the evidence? *Expert Rev Med Devices*. 2006 Nov;3(6):755-62.
29. Naal F, Schmied M, Munzinger U, et al. Outcome of hip resurfacing arthroplasty in patients with developmental hip dysplasia. *Clinical Orthopaedics & Related Research*. 467(6):1516-21, 2009 Jun.
30. O'Brien S, Bennett D, Doran E, Beverland D. Comparison of hip and knee arthroplasty outcomes at early and intermediate follow-up. *Orthopedics*. 32(3):168, 2009 Mar. Parker M, Gurusamy K, Azegami S. Arthroplasties (with and without bone cement) for proximal femoral fractures in adults. *Cochrane Database Syst Rev*. 2010, Issue 6.
31. Parker M, Gurusamy K. Internal fixation versus arthroplasty for intracapsular proximal femoral fractures in adults. *Cochrane Database Syst Rev*. 2006;(4):CD001708.
32. Parvizi J, Pour A, Keshavarzi N, et al. Revision total hip arthroplasty in octogenarians. A case-control study. *Journal of Bone & Joint Surgery - American Volume*. 89(12):2612-8,

2007 Dec.

33. Quintana J, Azkarate J, Goenaga J, et al. Evaluation of the appropriateness of the hip joint replacement techniques. *Intl J Tech Assess Health Care*. 2000;16(1):165-177.
34. Revell M, McBryde C, Bhatnagar S, et al. Metal-on-metal hip resurfacing in osteonecrosis of the femoral head. *J Bone Joint Surg Am*. 2006 Nov;88 Suppl 3:98-103.
35. Santaguida P, Hawker G, Hudak Pet al. Patient characteristics affecting the prognosis of total hip and knee joint arthroplasty: a systematic review. *Canadian Journal of Surgery*. 51(6):428-36, 2008 Dec.
36. Sermon A, Broos P, Vanderschot P. Total hip replacement for acetabular fractures. Results in 121 patients operated between 1983 and 2003. *Injury*. 39(8):914-21, 2008 Aug.
37. Shimmin A, Bare J, Back L. Complications associated with hip resurfacing arthroplasty. *Orthop Clin North Am*. 2005 Apr;36(2):187-93, ix.
38. Shimmin A, Beaule PE, Campbell P. Metal-on-metal hip resurfacing arthroplasty. *J Bone Joint Surg Am*, 2008; 90(3): 637-654.
39. Steinberg M, Steinberg D. Classification systems for osteonecrosis: an overview. *Orthop Clin North Am*. 2004 Jul;35(3):273-83, vii-viii.
40. Treacy R, McBryde C, Pynsent P. Birmingham hip resurfacing arthroplasty. A minimum follow-up of five years. *J Bone Joint Surg Br*. 2005 Feb;87(2):167-70.
41. Watson D, Bostrom M, Salvati E, et al. Primary total hip arthroplasty for displaced femoral neck fracture. *Orthopedics*. 31(10), 2008 Oct.
42. Wylde V, Blom A, Whitehouse S, et al. Patient-reported outcomes after total hip and knee arthroplasty: comparison of midterm results. *Journal of Arthroplasty*. 24(2):210-6, 2009 Feb.