

## References

S-252

1. Adie, S, Harris, IA, Naylor, JM, Rae, H, Dao, A, Yong, S, and Ying, V. Pulsed electromagnetic field stimulation for acute tibial shaft fractures: a multicenter, double-blind, randomized trial. *J Bone Joint Surg Am.* 2011;93(17):1569-1576.
2. Agency for Healthcare Research and Quality (AHRQ). The role of bone growth stimulating devices and orthobiologics in healing nonunion fractures. *Technology assessment program.* Prepared by ECRI Evidencebased Practice Center (EPC). 2005. Accessed March 13, 2013.
3. American Academy of Orthopedic Surgeons (AAOS). Nonunions. 2005. Updated 2007. Accessed March 9, 2012
4. American Academy of Orthopedic Surgeons (AAOS).Physical fields. October 2002. Accessed March 13, 2103.
5. Beck BR, Matheson GO, Bergman G, Norling T, Fredericson M, Hoffman AR, Marcus R. Do capacitively coupled electric fields accelerate tibial stress fracture healing? A randomized controlled trial. *Am J Sports Med.* 2008;36(3):545-53. Epub 2007
6. Busse JW, Kaur J, Mollon B, Bhandari M, Tornetta P 3rd, Schünemann HJ, Guyatt GH. Low intensity pulsed ultrasonography for fractures: systematic review of randomised controlled trials. *BMJ.* 2009;338:b351.
7. Cook S, Ryaby J, McCabe J, Frey J, Heckman J, Kristiansen T. Acceleration of time and distal radius fracture healing in patients who smoke. *Clin Orthop* 1997;337:198-207.
8. Centers for Medicare and Medicaid Services. National Coverage Policy Revision. Electrical stimulation for fracture healing (CAG-00022). Decision Memorandum. 2000.
9. Centers for Medicare and Medicaid Services (CMS). NCD for Osteogenic Stimulators, Manual Section Number150.2. Retrieved 2/19/07.
10. Coords M, Breitbart E, Paglia D, Kappy N, Gandhi A, Cottrell J, Cedeno N, Pounder N, O'Connor JP, Lin SS. The effects of low-intensity pulsed ultrasound upon diabetic fracture healing. *J Orthop Res.* 2011;29(2):181-8.
11. Dijkman BG, Sprague S, Bhandari M. Low-intensity pulsed ultrasound: Nonunions. *Indian J Orthop.* 2009;43(2):141-8.
12. EBI Medical. Implantable Spinal Fusion Stimulator. Accessed February 26, 2008.
13. ECRI Institute. Hotline Response [database online].Plymouth Meeting (PA): ECRI Institute; 2012. Electrical bone growth stimulating devices for treating acute and nonunion bone fractures.
14. ECRI Institute. Hotline Response [database online].Plymouth Meeting (PA): ECRI Institute; 2008. Ultrasonic bone growth stimulation for fracture healing.
15. ECRI Institute. Hotline Response [database online].Plymouth Meeting (PA): ECRI Institute; 2006. Electrical bone growth stimulation for the lower leg and long bones.

16. ECRI Institute. Hotline Response [database online]. Plymouth Meeting (PA): ECRI Institute; 2007. Electrical bone growth stimulation to enhance cervical vertebrae fusion.
17. ECRI Institute. Hotline Response [database online]. Plymouth Meeting (PA): ECRI Institute; 2008. Electrical bone growth stimulation for the wrist, ankle, and short bones.
18. Feingold D, Hame S. Female athlete triad and stress fractures. *Orthop Clin N Am*. 2006;37(4):575-83.
19. Foley KT, Mroz TE, Arnold PM et al. Randomized, prospective, and controlled clinical trial of pulsed electromagnetic field stimulation for cervical fusion. *Spine J* 2008; 8(3):436-42.
20. Goldstein C, Sprague S, Petrisor BA. Electrical stimulation for fracture healing: current evidence. *J Orthop Trauma*. 2010;24 Suppl 1:S62-5.
21. Gupta AK, Srivastava KP, Avasthi S. Pulsed electromagnetic stimulation in nonunion of tibial diaphyseal fractures. *Indian J Orthop*. 2009; 43(2): 156–160.
22. Hannemann PF, Göttgens KW, van Wely BJ, Kolkman KA, Werre AJ, Poeze M, Brink PR. The clinical and radiological outcome of pulsed electromagnetic field treatment for acute scaphoid fractures: a randomized double-blind placebo-controlled multicentre trial. *J Bone Joint Surg Br*. 2012;94(10):1403-8.
23. Hockenbury RT, Gruttaduria M, McKinney I. Use of implantable bone growth stimulation in Charcot ankle arthrodesis. *Foot Ankle Int*. 2007;28(9):971-6.
24. Hotta S. Electrical bone-growth stimulation and spinal fusion. Health technology assessment review No. 8. 1998. Agency for Health Care Policy and Research (AHCPR) Pub No. 94-0014. Accessed March 9, 2012.
25. Jones MH, Amendola AS. Navicular stress fractures. *Clin Sports Med*. 2006;25(1):151-8
26. Kaiser MG, Eck JC, Groff MW, et al. Guideline update for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: Bone growth stimulators as an adjunct for lumbar fusion. *J Neurosurg Spine*. 2014;21(1):133-139.
27. Mollon B, da Silva V, Busse JW, Einhorn TA, Bhandari M. Electrical stimulation for long-bone fracturehealing: a meta-analysis of randomized controlled trials. *J Bone Joint Surg Am*. 2008 Nov;90(11):2322-30.
28. Orthofix. Bone growth stimulators. *Spinal Stim*. Accessed March 13, 2103.
29. Raasch WG, Hergan DJ. Treatment of stress fractures: The fundamentals. *Clin Sports Med*. 2006 ;25(1):29-36.
30. Resnick DK, Choudhri TF, Dailey AT, Groff MW, Khoo L, Matz PG, et al. American Association of Neurological Surgeons/Congress of Neurological Surgeons. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 17: bone growth stimulators and lumbar fusion. *J Neurosurg Spine*. 2005;2(6):737-40.
31. Ricardo M. The effect of ultrasound on the healing of muscle-pediculated bone graft in scaphoid non-union. *Int Orthop*. 2006;30(2):123-7.

32. Schofer MD, Block JE, Aigner J, Schmelz A. Improved healing response in delayed unions of the tibia with low-intensity pulsed ultrasound: results of a randomized sham-controlled trial. *BMC Musculoskelet Disord.* 2010; 8;11:229.
33. Stasinopoulos D. Treatment of spondylolysis with external electrical stimulation in young athletes: a critical literature review. *Br J Sports Med.* 2004 Jun;38(3):352-4.
34. Syrmou E, Tsitsopoulos PP, Marinopoulos D, Tsonidis C, Anagnostopoulos I, Tsitsopoulos PD. Spondylolysis: a review and reappraisal. *Hippokratia.* 2010;14(1):17-21.
35. U.S. Food and Drug Administration. Center for Devices and Radiological Health (CDRH). Exogen 2000® or Sonic Accelerated Fracture healing System. Summary of safety and effectiveness. Updated November 5, 2000. Accessed March 13, 2013.
36. U.S. National Cancer Institute's Surveillance, Epidemiology and End Results (SEER) Program, with Emory University, Atlanta, Georgia, U.S.A. Anatomy and physiology: classification of bones. Accessed March 13, 2013.
37. Washington State Health Care Authority. Health Technology Assessment, Bone Growth Stimulators. 2009. Accessed March 13, 2013.
38. Watanabe Y, Matysushita T, Bhandari M, Zdero R, Schemitsch. Ultrasound for fracture healing:current evidence. *J Orthop Trauma.* 2010 Mar;24(3):S56-S61.
39. Yan SG, Huang LY, Cai XZ. Low-intensity pulsed ultrasound: a potential non-invasive therapy for femoral head osteonecrosis. *Med Hypotheses.* 2011;76(1):4-7.
40. Young AJ, McAllister DR. Evaluation and treatment of tibial stress fractures. *Clin Sports Med.* 2006;25(1):117-28.
- 41.** Zura RD, Sasser B, Sabesan V, Pietrobon R, Tucker MC, Olson SA. A survey of orthopaedic traumatologists concerning the use of bone growth stimulators. *J Surg Orthop Adv.* 2007 Spring;16(1):1-4.