

References

Z-61

1. Airaksinen O, Brox J, Cedraschi C, et al. On behalf of the COST B13 Working Group on Guidelines for Chronic Low Back Pain. Chapter 4 European guidelines for the management of chronic nonspecific low back pain. *Eur Spine J*. 2006;15(Supplement 2):s192-s300.
2. Allen TL, Tatli Y, Lutz, GE. Fluoroscopic percutaneous lumbar zygoapophyseal joint cysts rupture: a clinical outcome study. *Spine*. 2009 May;9(5): 387-95.
3. American Medical Association. Current Procedural Terminology: CPT 2008, Professional Edition. AMA Press, 2007.
4. American College of Occupational and Environmental Medicine. Occupational Medicine Practice Guideline, 2nd Ed. 2008.
5. Bogduk N. A narrative review of intra-articular corticosteroid injections for low back pain. *Pain Med*. 2005;6(4):287-296.
6. Boswell M, Colson J, Sehgal N, et al. A systematic review of therapeutic facet joint interventions in chronic spinal pain. *Pain Physician*. 2007;10:229-253.
7. Boswell M, Colson J, Spillane W. Therapeutic Facet Joint Interventions in Chronic Spinal Pain: A Systematic Review of Effectiveness and Complications. *Pain Physician*. 2005;8:101-114.
8. Boswell MV, Manchikanti L, Kaye AD, et al. A best-evidence systematic appraisal of the diagnostic accuracy and utility of facet (zygapophysial) joint injections in chronic spinal pain. *Pain Physician* 2015;18:E497-E533.
9. Boswell M, Shah R, Everett C, et al. Interventional techniques in the management of chronic spinal pain: evidence-based practice guidelines. *Pain Physician*. 2005;8(1):1-47.
10. Boswell M, Trescot A, Datta S, et al. American Society of Interventional Pain Physicians. Interventional techniques: evidence-based practice guidelines in the management of chronic spinal pain. *Pain Physician*. 2007;10(1):7-111.
11. Civelek E, Cansever T, Kabatas S, et al. Comparison of effectiveness of facet joint injection and radiofrequency denervation in chronic low back pain. *Turk Neurosurg*. 2012;22:200-206.
12. Cohen S, Raja S. Pathogenesis, diagnosis, and treatment of lumbar zygapophysial (facet) joint pain. *Anesthesiology*. 2007;106:591-614.
13. Dreyfuss P, Dreyer S. NASS. Lumbar zygapophysial (facet) joint injections. *Spine J*. 2003;3(3 Suppl):50S-59S.
14. Dreyfus P, Kaplan M, Dreyer S, ed Lennard T. Zygapophyseal Joint Injection Techniques in the Spinal Axis. Procedures in Clinical Practice. Second Edition. Hanley and Belfus Inc. Philadelphia. 2000, page 276.
15. Friedly J, Chan L, Deyo R. Increases in lumbosacral injections in the Medicare population: 1994 to 2001. *Spine*. 2007;32(16):1754-1760.
16. Friedrich K, Nemeč S, Peloschek P, et al. The prevalence of lumbar facet joint edema in patients with low back pain. *Skeletal Radiol*. 2007;36(8):755-760.
17. Fritz J, Niemeyer T, Clasen S, et al. Management of chronic low back pain: rationales, principles, and

targets of imaging-guided spinal injections. *Radiographics*.2007;27(6):1751-1771.

18. Fuchs S, Erbe T, Fischer H, Tibesku C. Intraarticular hyaluronic acid versus glucocorticoid injections for nonradicular pain in the lumbar spine. *J Vasc Interv Radiol*. 2005;16:1493-1498.

19. Fuchs S, Erbe T, Fischer HL, Tibesku CO. Intraarticular hyaluronic acid versus glucocorticoidinjections for nonradicular pain in the lumbar spine. *J Vasc Interv Radiol*. 2005; 16:1493-1498.

20. Hancock M, Maher C, Latimer J, et al. Systematic review of tests to identify the disc, SIJ or facet joint as the source of low back pain. *Eur Spine J*. 2007;16(10):1539-1550.

21. IPM Guidelines. An Update of Comprehensive Evidenced - Based Guidelines For Interventional Techniques in Chronic Spinal Pain. Part 2: Guidance and Recommendations. *Pain Physician* 2013; 16:S49 – S283.

22. Kirpalani D, Mitra R. Cervical facet joint dysfunction: a review. *Arch Phys Med Rehabil*. 2008;89(4):770-774.

23. Lakemeier S, Lind M, Schultz W, Fuchs-Winkelmann S, Timmesfeld N, Foelsch C, Peterlein CD. A comparison of intraarticular lumbar facet joint steroid injections and lumbar facet joint radiofrequency denervation in the treatment of low back pain: A randomized, controlled, double-blind trial. *Anesth Analg*. 2013;117:228-235.

24. Laslett M, McDonald B, Aprill C, et al. Clinical predictors of screening lumbar zygapophyseal joint blocks: development of clinical prediction rules. *Spine J*. 2006;6(4):370-379.

25. Laslett M, Oberg B, April C, McDonald B. Zygapophysial joint blocks in chronic low back pain: a test of Revel's model as a screening test. *BMC Musculoskelet Disord*. 2004;16:5:43.

26. Lord SM, Barnsley L, Bogduk N. Percutaneous radiofrequency neurotomy in the treatment of cervical zygapophysial joint pain: a caution. *Neurosurgery*. 1995;36:732–9.

27. Manchikanti L, Abdi S, Atluri S, et al. An update of comprehensive evidence-based guidelines for interventional techniques of chronic spinal pain: Part II: Guidance and recommendations. *Pain Physician*. 2013;16:S49-S283.

28. Manchikanti L, Cash K, Pampati V, Fellows B. Influence of psychological variables on the diagnosis of facet joint involvement in chronic spinal pain. *Pain Physician*. 2008;11(2):145-160.

29. Manchikanti L, Damron K, Cash K, et al. Therapeutic cervical medial branch blocks in managing chronic neck pain: a preliminary report of a randomized, double-blind, controlled trial. *Pain Physician*.2006;9(4):333-346.

30. Manchikanti L, Kaye AD, Boswell MV, et al. A systematic review and best evidence synthesis of the effectiveness of therapeutic facet joint interventions in managing chronic spinal pain. *Pain Physician*. 2015; 18:E535-E582.

31. Manchikanti L, Manchikanti K, Cash K, et al. Age-related prevalence of facet-joint involvement in chronic neck and low back pain. *Pain Physician*. 2008;11(1):67-75.

32. Manchikanti L, Manchikanti K, Manchukonda R, et al. Evaluation of lumbar facet joint nerve blocks in the management of chronic low back pain: preliminary report of a randomized, double-blind controlled trial. *Pain Physician*. 2007;10(3):425-40.

33. Manchikanti L, Manchukonda R, Pampati V, et al. Prevalence of facet joint pain in chronic low back

pain in postsurgical patients by controlled comparative local anesthetic blocks. *Arch Phys Med Rehabil.* 2007;88(4):449-55.

34. Manchikanti L, Singh V, Falco F, et al. Lumbar facet joint nerve blocks in managing chronic facet joint pain: one-year follow-up of a randomized, double-blind controlled trial. *Pain Physician.* 2008;11(2):121-132.

35. Manchikanti L, Singh V, Falco FJE, Cash KA, Pampati V. Evaluation of lumbar facet joint nerve blocks in managing chronic low back pain: A randomized, double-blind, controlled trial with a 2-year follow-up. *Int J Med Sci.* 2010;7:124-135.

36. Manchikanti L, Singh V, Falco FJE, Cash KA, Fellows B. Comparative outcomes of a 2-year follow-up of cervical medial branch blocks in management of chronic neck pain: A randomized, double-blind controlled trial. *Pain Physician.* 2010;13:437-450.

37. Manchikanti L, Pampati V, Bakhit C, et al. Effectiveness of lumbar facet joint nerve blocks in chronic low back pain: A randomized clinical trial. *Pain Physician.* 2001;4:101-117.

38. Manchikanti L, Singh V, Falco FJE, Cash KA, Pampati V, Fellows B. The role of thoracic medial branch locks in managing chronic mid and upper back pain: A randomized, double-blind, active control trial with a 2-year follow-up. *Anesthesiol Res Pract.* 2012;2012:585806.

39. Manchukonda R, Manchikanti K, Cash K, et al. Facet joint pain in chronic spinal pain: an evaluation of prevalence and false-positive rate of diagnostic blocks. *J Spinal Disord Tech.* 2007;20(7):539-545.

40. Nordin M, Carragee E, Hurwitz L, et al; Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Treatment of neck pain: injections and surgical interventions: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. *Spine.* 2008;15;33(4 Suppl):S153-S169.

41. North American Spine Society (NASS). NASS Coverage Policy Recommendation. Facet Joint Intervention. Copyright © 2016 North American Spine Society.

42. Park KD, Jee H, Nam HS, Cho SK, Kim HS, Park Y, Lim OK. Effect of medial branch block in chronic facet joint pain for osteoporotic compression fracture: one year retrospective study. *Ann Rehabil Med.* 2013 Apr;37(2):191-201.

43. Park SC, Kim KH. Effect of adding cervical facet joint injections in a multimodal treatment program for long-standing cervical myofascial pain syndrome with referral pain patterns of cervical facet joint syndrome. *J Anesth.* 2012;26:738-745.

44. Patel J, Schneider B, Smith C on behalf of SIS Patient Safety Committee. Intraarticular Corticosteroid Injections and hyperglycemia. 10/4/17.

45. Resnick D, Choudhri T, Dailey A, et al. American Association of Neurological Surgeons/Congress of Neurological Surgeons. Guidelines for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 13: injection therapies, low-back pain, and lumbar fusion. *J Neurosurg Spine.* 2005;2(6):707-715.

46. Ribeiro LH, Furtado RN, Konai MS, et al. Effect of facet joint injection versus systemic steroids in low back pain: A randomized controlled trial. *Spine (Phila Pa 1976).* 2013;38:1995-2002.

47. Schneider G, Jull G, Smith A, Emery C, Faris P, Cook C, Frizzell B, Salo P. Derivation of a clinical decision guide in the diagnosis of cervical facet joint pain. *Arch Phys Med Rehabil.* 2014; 95(9): 1695-701.

48. Sehgal N, Dunbar E, Shah R, Colson J. Systematic review of diagnostic utility of facet (zygapophysial) joint injections in chronic spinal pain: an update. *Pain Physician*. 2007;10(1):213-228.
49. van Tulder M, Koes B, Seitsalo S, Malmivaara A. Outcome of invasive treatment modalities on back pain and sciatica: an evidence-based review. *Eur Spine J*. 2006; Suppl 1:S82-92.
50. Workloss Data Institute. Official Disability Guidelines. 2015.
51. Yun DH, Kim HS, Yoo SD, Kim DH, Chon JM, Choi SH, Hwang DG, Jung PK. Efficacy of ultrasonography-guided injections in patients with facet syndrome of the low lumbar spine. *Ann Rehabil Med*. 2012;36:66-71.
52. Shah RD, Cappiello D, Suresh S. Interventional procedures for chronic pain in children and adolescents: a review of the current evidence. *World Institute of Pain*. 2016: 359-369.