

## References

Z-62

1. American College of Occupational and Environmental Medicine. Occupational Medicine Practice Guideline, 2<sup>nd</sup> Ed. 2008.
2. American Medical Association. *Current Procedural Terminology*. 2016 Professional Edition.
3. American Society of Anesthesiologists. Statement on Anesthetic Care During Interventional Pain Procedures for Adults. October 22, 2005, amended October 26, 2016.
4. Appropriate Use Criteria for Fluoroscopically-Guided Diagnostic and Therapeutic Sacroiliac Interventions: Results from the Spine Intervention Society-Convended Multispecialty Collaborative
5. Berthelot J, Labat J, Le Goff B, et al. Provocative sacroiliac joint maneuvers and sacroiliac joint block are unreliable for diagnosing sacroiliac joint pain. *Joint Bone Spine*. 2006;73(1):17-23.
6. Cheng J, Pope JE, Dalton JE, Cheng O, Bensitel A. Comparative outcomes of cooled versus traditional radiofrequency ablation of the lateral branches for sacroiliac joint pain. *Clin J Pain*.2013; 29:132-137.
7. Cohen SP, Hurley RW, Buckenmaier CC 3rd, et al. Randomized placebo-controlled study evaluating lateral branch radiofrequency denervation for sacroiliac joint pain. *Anesthesiology*.2008; 109:279-288.
8. Foley B, Buschbacher R: Sacroiliac joint pain: anatomy, biomechanics, diagnosis and treatment. *Am J Phys Med Rehabil*. 2006;85:997–1006.
9. Forst S, Wheeler M, Fortin J, Vilensky J. The sacroiliac joint: anatomy, physiology and clinical significance. *Pain Physician*. 2006;9(1):61-67.
10. Gunaydin I, Pereira P, Fritz J. et al. Magnetic resonance imaging guided corticosteroid injection of sacroiliac joints in patients with spondylarthropathy. Are multiple injections more beneficial?. *Rheumatology International*. 2006; 26(5):396-400.
11. Karabacakoglu A, Karakose S, Ozerbil O, Odev K. Fluoroscopy-guided intraarticular corticosteroid injection into the sacroiliac joints in patients with ankylosing spondylitis. *Acta Radiologica*. 2002;43(4):425-427.
12. Kennedy DJ, Engel AJ, Kreiner DS, Nampiaparampil D, Duszynski B, MacVicar J. Fluoroscopically guided diagnostic and therapeutic sacroiliac joint injections: a systematic review. *Pain Med*. 2015; 16: 1500-1518.
13. King W, Ahmed SU, Baisden J, Patel N, Kennedy DJ, MacVicar J, Duszynski B. Diagnosis and treatment of posterior sacroiliac complex pain: a systematic review with comprehensive analysis of the published data. *Pain Med*. 2015 Feb; 16(2): 257.

14. Laslett M. Evidence-Based Diagnosis and Treatment of the Painful Sacroiliac Joint. *J Man Manip Ther.* 2008;16(3): 142–152.
15. Ling B, Lee J, Man H, et al. Transverse morphology of the sacroiliac joint: effect of angulation and implications for fluoroscopically guided sacroiliac joint injection. *Skeletal Radiology.* 2006;35(11):838-846.
16. Luukkainen R, Nissila M, Asikainen E, et al. Periarticular corticosteroid treatment of the sacroiliac joint in patients with seronegative spondylarthropathy. *Clinical & Experimental Rheumatology.* 1999;17(1):88-90.
17. Luukkainen R, Wennerstrand P, Kautiainen H, et al. Efficacy of periarticular corticosteroid treatment of the sacroiliac joint in non-spondylarthropathic patients with chronic low back pain in the region of the sacroiliac joint. *Clinical & Experimental Rheumatology.* 2002;20(1):52-54.
18. McKenzie-Brown A, Shah R, Sehgal N, Everett C. A Systematic Review of Sacroiliac Joint Interventions. *Pain Physician.* 2005;8;115-125.
19. MacVicar J, Kreiner DS, Duszynski B, et al. Appropriate Use Criteria for Fluoroscopically Guided Diagnostic and Therapeutic Sacroiliac Interventions: Results from the Spine Intervention Society Convened Multispecialty Collaborative, *Pain Medicine*, Volume 18, Issue 11, 1 November 2017, Pages 2081–2095
20. Manchikanti L, Abdi S, Atluri S, et al. An update of comprehensive evidence-based guidelines for interventional techniques of chronic spinal pain: Part II: Guidance and recommendations. *Pain Physician.* 2013; 16:S49-S283.
21. Manchikanti L, Staats P, Singh V, et al. Evidence-based practice guidelines for interventional techniques in the management of chronic spinal pain. *Pain Physician.* 2003;6:3-81.
22. Mitchell B, MacPhail T, Vivian D, Verrills P, Barnard A. Radiofrequency neurotomy for sacroiliac joint pain: A prospective study. *Surgical Science.* 2015;6:265-272.
23. Murakami E, Tanaka Y, Aizawa T, et al. Effect of periarticular and intraarticular lidocaine injections for sacroiliac joint pain: prospective comparative study. *Journal of Orthopaedic Science.* 2007;12(3):274-280.
24. Nelemans P, de Bie R, de Vet H, Sturmans F, Injection therapy for subacute and chronic benign low back pain. *Cochrane Database Syst Rev.* 2000;(2):CD001824.
25. Patel J, Schneider B, Smith C on behalf of SIS Patient Safety Committee. Intraarticular corticosteroid injections and hyperglycemia. 10/4/17.
26. Patel N, Gross A, Brown L, Gekht G. A randomized, placebo-controlled study to assess the efficacy of lateral branch neurotomy for chronic sacroiliac joint pain. *Pain Med.* 2012; 13:383-398.
27. Pekkafehli M, Kiralp M, Basekim C, et al. Sacroiliac joint injections performed with sonographic guidance. *Journal of Ultrasound in Medicine.* 2003;22(6):553-559.

28. Rosenberg J, Quint T, de Rosayro A. Computerized tomographic localization of clinically-guided sacroiliac joint injections. *Clinical Journal of Pain*. 2000;16(1):18-21.
29. Slipman C, Lipetz J, Plastaras C, et al. Fluoroscopically guided therapeutic sacroiliac joint injections for sacroiliac joint syndrome. *American Journal of Physical Medicine & Rehabilitation*. 2001;80(6):425-432.
30. Simopoulos TT, Manchikanti L, Gupta S, et al. Systematic review of the diagnostic accuracy and therapeutic effectiveness of sacroiliac joint interventions. *Pain Physician*. 2015;18:E713-E756.
31. Stelzer W, Aiglesberger M, Stelzer D, Stelzer V. Use of cooled radiofrequency lateral branch neurotomy for the treatment of sacroiliac joint-mediated low back pain: A large case series. *Pain Med*. 2013;14:29-35.
32. Vallejo R, Benyamin R, Kramer J, et al. Pulsed radiofrequency denervation for the treatment of sacroiliac joint syndrome. *Pain Med*. 2006;7:429-434.
33. van der Wurff P, Buijs E, Groen G. A multitest regimen of pain provocation tests as an aid to reduce unnecessary minimally invasive sacroiliac joint procedures. *Archives of Physical Medicine & Rehabilitation*. 2006; 87(1):10-14.
34. Workloss Data Institute. Official Disability Guidelines.
35. Young S, Aprill C, Laslett M. Correlation of clinical examination characteristics with three sources of chronic low back pain. *Spine Journal: Official Journal of the North American Spine Society*. 2003;3(6):460-465.
36. Zelle B, Gruen G, Brown S, George S. Sacroiliac joint dysfunction: evaluation and management. *Clin J Pain*. 2005;21(5):446-455.