

References

Z-8

1. Centers for Disease Control and Prevention. Defining overweight and obesity. Division of nutrition, physical activity, and obesity, National Center for Chronic Disease Prevention and Health Promotion. 2016.
2. Colvin LJ, Collop NA. Commercial motor vehicle driver obstructive sleep apnea screening and treatment in the United States: An update and recommendation overview. *J Clin Sleep Med* 2016;12(1):113–125.
3. American Academy of Otolaryngology-Head and Neck Surgery Position Statement: Hypoglossal nerve stimulation for treatment of obstructive sleep apnea (OSA). 2016.
4. Woodson B. Three-Year Outcomes of cranial nerve stimulation for obstructive sleep apnea: The STAR Trial. *J Otolaryngol Head Neck Surg*. 2016;154(1):181-188.
5. Meltzer L. Validation of actigraphy in middle childhood. *Sleep*. 2016;39:1219-1224.
6. Kent D. Upper airway stimulation for OSA: Early adherence and outcome results of one center. *J Otolaryngol Head Neck Surg*. 2016;155(1):188-193.
7. Johal A. Ready-made versus custom-made mandibular repositioning devices in sleep apnea: A randomized clinical trial. *J Clin Sleep Med*. 2017;13(2):176-182.
8. Kapur V. Clinical practice guideline for diagnostic testing for adult obstructive sleep apnea: An American Academy of Sleep Medicine clinical practice guideline. *JCSM*. 2017;13(3):479-504.
9. The American Academy of Otolaryngology- Head and Neck Surgery. Position Statement: Hypoglossal nerve stimulation for treatment of obstructive sleep apnea (OSA). 2016.
10. Soose RJ, Woodson BT, Gillespie MB, et al. Upper airway stimulation for obstructive sleep apnea: Self-reported outcomes at 24 months. *J Clin Sleep Med*. 2016;12(1):43-48.
11. Friedman M, Salapatras AM, Bonzelaar LB. Updated Friedman staging system for obstructive sleep apnea. *Adv Otorhinolaryngol*. 2017;80:41-48.
12. Gillespie MB, Soose RJ, Woodson BT, et al. Upper airway stimulation for obstructive sleep apnea: Patient-reported outcomes after 48 months of follow-up. *J Otolaryngol Head Neck Surg*. 2017;156(4):765-771.
13. Heiser C, Maurer JT, Hofauer B, et al. Outcomes of upper airway stimulation for obstructive sleep apnea in a multicenter German postmarket study. *J Otolaryngol Head Neck Surg*. 2017;156(2):378-384.
14. Huntley C, Chou DW, Doghramji K, Boon. Comparing upper airway stimulation to expansion sphincter pharyngoplasty: A single university experience. *Ann Otol Rhinol Laryngol*. 2018;127(6):379-383.
15. Shah J, Russell JO, Waters T, et al. Uvulopalatopharyngoplasty vs CN XII stimulation for treatment of obstructive sleep apnea: A single institution experience. *Am J Otolaryngol*. 2018;39(3):266-270.
16. Steffen A, Sommer JU, Hofauer B, et al. Outcome after one year of upper airway stimulation for obstructive sleep apnea in a multicenter German post-market study. *Laryngoscope*. 2018;128(2):509-515.

17. Woodson BT, Strohl KP, Soose RJ, , et al. Upper airway stimulation for obstructive sleep apnea: Year outcomes. *J Otolaryngol Head Neck Surg.* 2018;159(1):194-202.
18. Corral J, Sánchez-Quiroga MÁ, Carmona-Bernal C, et al. Conventional polysomnography is not necessary for the management of most patients with suspected obstructive sleep apnea. Noninferiority, randomized controlled trial. *Am J Respir Crit Care Med.* 2017;196(9):1181-1190.
19. Patil SP, Ayappa IA, Caples SM, Kimoff RJ, Patel SR, Harrod CG. Treatment of adult obstructive sleep apnea with positive airway pressure: An American Academy of Sleep Medicine systematic review, meta-analysis, and GRADE assessment. *J Clin Sleep Med.* 2019;15(2):301-334.
20. Patil SP, Ayappa IA, Caples SM, Kimoff RJ, Patel SR, Harrod CG. Treatment of adult obstructive sleep apnea with positive airway pressure: An American Academy of Sleep Medicine Clinical Practice Guideline. *J Clin Sleep Med.* 2019;15(2):335-343.
21. Yu J, Zhou Z, McEvoy RD, et al. Association of positive airway pressure with cardiovascular events and death in adults with sleep apnea: A systematic review and meta-analysis. *JAMA.* 2017;318(2):156-166.
22. McEvoy RD, Antic NA, Heeley E, et al. CPAP for prevention of cardiovascular events in obstructive sleep apnea. *N Engl J Med.* 2016;375(10):919-931.
23. Lisan, QQ, Van Sloten, TT, Marques Vidal, PP, Haba Rubio, JJ, Heinzer, RR, Empana, JJ. Association of positive airway pressure prescription with mortality in patients with obesity and severe obstructive sleep apnea: The sleep heart health study. *JAMA Otolaryngol Head Neck Surg.* 2019;145(6):509-515.
24. Singh GD, Griffin T, Cress SE. Biomimetic oral appliance therapy in adults with severe obstructive sleep apnea. *J Sleep Disord Ther.* 2016;5:227.
25. Singh GD, Cress CE. Biomimetic oral appliance therapy in adults with mild to moderate obstructive sleep apnea using combined maxilla-mandibular correction. *J Sleep Disord Manag.* 2017;3(1):014.
26. Rosen IM, Kirsch DB, Chervin RD, et al. Clinical Use of a Home Sleep Apnea Test: An American Academy of Sleep Medicine Position Statement. *J Clin Sleep Med.* 2017;13(10):1205-1207.
27. Hayes, Inc. Medical Technology Directory. *Hypoglossal nerve stimulation for the treatment of obstructive Sleep Apnea.* Lansdale, PA: Hayes, Inc. 10/30/2018.
28. Hayes, Inc. Medical Technology Directory. *Mandibular advancement devices for sleep apnea: A review of reviews.* Lansdale, PA: Hayes, Inc. 9/20/2018.
29. Chowdhuri S, Quan SF, Almeida F, et al. An official American Thoracic Society research statement: Impact of mild obstructive sleep apnea in adults. *Am J Respir Crit Care Med.* 2016;193(9):e37-54.
30. U.S. Preventive Services Task Force, Bibbins-Domingo K, Grossman DC, et al. Screening for obstructive sleep apnea in adults: US Preventive Services Task Force Recommendation Statement. *JAMA.* 2017;317(4):407-414.
31. Jonas DE, Amick HR, Feltner C, et al. Screening for obstructive sleep apnea in adults: Evidence report and systematic review for the US Preventive Services Task Force. *JAMA.* 2017;317(4):415-433.

32. Smith MT, McCrae CS, Cheung J, et al. Use of actigraphy for the evaluation of sleep disorders and circadian rhythm sleep-wake disorders: An American Academy of Sleep Medicine Clinical Practice Guideline. *J Clin Sleep Med*. 2018;14(7):1231-1237.
33. Yu, JL, Mahmoud, AA, Thaler, EE. Transoral robotic surgery versus upper airway stimulation in select obstructive sleep apnea patients. *Laryngoscope*, 2018;129(1).
34. Woodson BT, Soose RJ, Gillespie MB, et al. Three-year outcomes of cranial nerve stimulation for obstructive sleep apnea: The STAR Trial. *J Otolaryngol Head Neck Surg*. 2016;154(1):181-188.
35. Soose RJ, Woodson BT, Gillespie MB, et al. Upper airway stimulation for obstructive sleep apnea: Self-reported outcomes at 24 months. *J Clin Sleep Med*. 2016;12(1):43-48.
36. Hasselbacher, KK, Hofauer, BB, Maurer, JJ, Heiser, CC, Steffen, AA, Sommer, JJ. Patient-reported outcome: Results of the multicenter German post-market study. *Eur Arch Otorhinolaryngol*, 2018;275(7).
37. Hayes, Inc. Medical Technology Directory. *eXciteOSA device for mild obstructive sleep apnea*. Lansdale, PA: Hayes, Inc. 02/09/2021.
38. InterQual® Level of Care Criteria 2019. Acute Care Adult. Change Healthcare, LLC.
39. Hilmisson H, Berman S, Magnúsdóttir S. Sleep apnea diagnosis in children using software-generated apnea-hypopnea index (AHI) derived from data recorded with a single photoplethysmogram sensor (PPG): Results from the childhood adenotonsillectomy study (chat) based on cardiopulmonary coupling analysis. *Sleep Breath*. 2020;24(4):1739-1749.
40. Yu J, Zhou Z, McEvoy RD, et al. Association of Positive Airway Pressure with cardiovascular events and death in adults with sleep apnea: A systematic review and meta-analysis. *JAMA*. 2017;318(2):156-166.
41. Lai V, Tong BK, Tran C, et al. Combination therapy with mandibular advancement and expiratory positive airway pressure valves reduces obstructive sleep apnea severity. *Sleep*. 2019;42(8).
42. Kotecha B, Wong PY, Zhang H, et al. A novel intraoral neuromuscular stimulation device for treating sleep-disordered breathing. *Sleep Breath*. 2021.
43. Baptista PM, Martinez Ruiz de Apodaca P, Carrasco M, et al. Daytime neuromuscular electrical therapy of tongue muscles in improving snoring in individuals with primary snoring and mild obstructive sleep apnea. *J Clin Med*. 2021;10(9).
44. Srijiithesh PR, Aghoram R, Goel A, et al. Positional therapy for obstructive sleep apnoea. *Cochrane Database Syst Rev*. 2019;5:CD010990.
45. de Ruiter MHT, Benoist LBL, de Vries N, et al. Durability of treatment effects of the sleep position trainer versus oral appliance therapy in positional OSA: 12-month follow-up of a randomized controlled trial. *Sleep Breath*. 2018;22(2):441-450.
46. Berry RB, Uhles ML, Abaluck BK, et al. NightBalance Sleep position treatment device versus auto-adjusting positive airway pressure for treatment of positional obstructive sleep apnea. *J Clin Sleep Med*. 2019;15(7):947-956.
47. Beyers J, Dieltjens M, Kastoer C, et al. Evaluation of a trial period with a sleep position trainer in patients with positional sleep apnea. *J Clin Sleep Med*. 2018;14(4):575-583.
48. Kapur VK, Auckley DH, Chowdhuri S, et al. Clinical practice guideline for diagnostic testing for adult obstructive sleep apnea: An American Academy of Sleep Medicine Clinical Practice Guideline. *J Clin Sleep Med*. 2017;13(3):479-504.

49. Patel S, Kon SSC, Nolan CM, et al. The Epworth sleepiness scale: Minimum clinically important difference in obstructive sleep apnea. *Am J Respir Crit Care Med.* 2018;197(7):961-963.
50. Huntley C, Boon M, Tschopp S, et al. Comparison of traditional upper airway surgery and upper airway stimulation for obstructive sleep apnea. *Ann Otol Rhinol Laryngol.* 2021;130(4):370-376.
51. Mehra R, Steffen A, Heiser C, et al. Upper airway stimulation versus untreated comparators in positive airway pressure treatment-refractory obstructive sleep apnea. *Ann Am Thorac Soc.* 2020;17(12):1610-1619.
52. Gillespie MB, Soose RJ, Woodson BT, et al. Upper airway stimulation for obstructive sleep apnea: Patient-reported outcomes after 48 months of follow-up. *Otolaryngol Head Neck Surg.* 2017;156(4):765-771.
53. Caloway CL, Diercks GR, Keamy D, et al. Update on hypoglossal nerve stimulation in children with down syndrome and obstructive sleep apnea. *Laryngoscope.* 2020;130(4):E263-E267.
54. Huntley C, Steffen A, Doghramji K, et al. Upper airway stimulation in patients with obstructive sleep apnea and an elevated body mass index: A multi-institutional review. *Laryngoscope.* 2018;128(10):2425-2428.
55. Kent DT, Carden KA, Wang L, et al. Evaluation of hypoglossal nerve stimulation treatment in obstructive sleep apnea. *JAMA Otolaryngol Head Neck Surg.* 2019;145(11):1044-1052.
56. National Institute for Health and Care Excellence. Hypoglossal nerve stimulation for moderate to severe obstructive sleep apnoea (IPG598). 2017.
57. Yavuz-Kodat E, Reynaud E, Geoffray MM, et al. Validity of actigraphy compared to polysomnography for sleep assessment in children with autism spectrum disorder. *Front Psychiatry.* 2019;10:55